

# Rev\_Utility Function

## Description

The Rev\_Utility function provides an API for various operating system functions.

## Syntax

returnValue = Rev\_Utility( method, p1...p6 )

## Parameters

The function has the following parameters:

Parameter	Description																				
<i>method</i>	A valid Rev_Utility method. BORDERWIDTHS, ERRORTXT, FSERROR, GETSYSTEMFONTS, SETREADONLY, SETWINDOWSIZE, SYSTEMSIZE, TOKENIZE, VERIFYPROC.																				
<i>param1...</i>	Each method has different parameter requirements.																				
param6																					
Methods	<table border="1"><thead><tr><th>Value</th><th>Description</th></tr></thead><tbody><tr><td>BORDERWIDTHS</td><td>This method examines the style of the window passed in first parameter and returns the width of the window borders for that particular style.</td></tr><tr><td>ERRORTXT</td><td>This method returns the error text associated with an error code. The error code/error text must exist within the REVEROR.DAT file.</td></tr><tr><td>FSERROR</td><td>When an error has occurred this message may be called to return the error details to the calling routine.</td></tr><tr><td>GETSYSTEMFONTS</td><td>Returns an @fm-delimited list of fonts used in the current theme.</td></tr><tr><td>SETREADONLY</td><td>This method sets or unsets a control's read only style.</td></tr><tr><td>SETWINDOWSIZE</td><td>This method sets a window's SIZE without altering its visibility.</td></tr><tr><td>SYSTEMSIZE</td><td>This method returns the SIZE of the desktop area as reported by the system.</td></tr><tr><td>TOKENIZE</td><td>This method tokenizes a string based upon a set of passed delimiters.</td></tr><tr><td>VERIFYPROC</td><td>This method validates if a procedure name is a valid system program.</td></tr></tbody></table>	Value	Description	BORDERWIDTHS	This method examines the style of the window passed in first parameter and returns the width of the window borders for that particular style.	ERRORTXT	This method returns the error text associated with an error code. The error code/error text must exist within the REVEROR.DAT file.	FSERROR	When an error has occurred this message may be called to return the error details to the calling routine.	GETSYSTEMFONTS	Returns an @fm-delimited list of fonts used in the current theme.	SETREADONLY	This method sets or unsets a control's read only style.	SETWINDOWSIZE	This method sets a window's SIZE without altering its visibility.	SYSTEMSIZE	This method returns the SIZE of the desktop area as reported by the system.	TOKENIZE	This method tokenizes a string based upon a set of passed delimiters.	VERIFYPROC	This method validates if a procedure name is a valid system program.
Value	Description																				
BORDERWIDTHS	This method examines the style of the window passed in first parameter and returns the width of the window borders for that particular style.																				
ERRORTXT	This method returns the error text associated with an error code. The error code/error text must exist within the REVEROR.DAT file.																				
FSERROR	When an error has occurred this message may be called to return the error details to the calling routine.																				
GETSYSTEMFONTS	Returns an @fm-delimited list of fonts used in the current theme.																				
SETREADONLY	This method sets or unsets a control's read only style.																				
SETWINDOWSIZE	This method sets a window's SIZE without altering its visibility.																				
SYSTEMSIZE	This method returns the SIZE of the desktop area as reported by the system.																				
TOKENIZE	This method tokenizes a string based upon a set of passed delimiters.																				
VERIFYPROC	This method validates if a procedure name is a valid system program.																				

Parameters

Method	Parameters						
BORDERWIDTHS	A Window Name, e.g. EXAMPLES_MAIN						
ERRORTTEXT	An Error Code as defined in the REVEROR.DAT file. e.g. FS100						
FSERROR	Null						
GETSYSTEMFONTS	Null						
SETREADONLY	<table border="1"> <thead> <tr> <th>Parameter</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>param1</td> <td>An @fm-delimited list of controls.</td> </tr> <tr> <td>param2</td> <td>A boolean value. When TRUE\$ all the controls in p1 are set to ReadOnly. When FALSE\$, the ReadOnly is turned off for all the controls in p1.</td> </tr> </tbody> </table>	Parameter	Description	param1	An @fm-delimited list of controls.	param2	A boolean value. When TRUE\$ all the controls in p1 are set to ReadOnly. When FALSE\$, the ReadOnly is turned off for all the controls in p1.
Parameter	Description						
param1	An @fm-delimited list of controls.						
param2	A boolean value. When TRUE\$ all the controls in p1 are set to ReadOnly. When FALSE\$, the ReadOnly is turned off for all the controls in p1.						
SETWINDOWSIZE	<table border="1"> <thead> <tr> <th>Parameter</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>param1</td> <td>The Window Name.</td> </tr> <tr> <td>param2</td> <td>An @fm delimited array. &lt;1&gt; X (offset from the left side of the screen) &lt;2&gt; Y (offset from the top of the screen) &lt;3&gt; W (Width of the window) &lt;4&gt; H (Height of the window)</td> </tr> </tbody> </table>	Parameter	Description	param1	The Window Name.	param2	An @fm delimited array. <1> X (offset from the left side of the screen) <2> Y (offset from the top of the screen) <3> W (Width of the window) <4> H (Height of the window)
Parameter	Description						
param1	The Window Name.						
param2	An @fm delimited array. <1> X (offset from the left side of the screen) <2> Y (offset from the top of the screen) <3> W (Width of the window) <4> H (Height of the window)						
SYSTEMSIZE	Null						
TOKENIZE							
VERIFYPROC							

## Returns

Method	Return Value
BORDERWIDTHS	An @fm-delimited array of window borders for the particular style. <1> The height of the horizontal border of a window frame. <2> The height of the vertical border of a window frame. The values returned are in pixels.
ERRORTTEXT	The Error description for the corresponding error code in the REVEERROR.DAT file.
FSERROR	The FSError and description from the REVEERROR.DAT file.
GETSYSTEMFONTS	Returns an @fm-delimited list of fonts used in the current theme. <1> Caption Font <2> Small Caption Font <3> Menu Font <4> Status Font <5> Message Font
SETREADONLY	Null
SETWINDOWSIZE	Null
SYSTEMSIZE	The size of the desktop area, after allowing for the system tray and other toolbars. <1> X (offset from the left side of the screen) <2> Y (offset from the top of the screen) <3> W (Width of the available desktop) <4> H (Height of the available desktop)
TOKENIZE	This method tokenizes a string based upon a set of passed delimiters. <ul style="list-style-type: none"><li>• // The string is also checked to see if quotes are balanced.</li></ul>
VERIFYPROC	

## Examples

```
* BORDERWIDTHS Example
borderWidths = Rev_Utility("BORDERWIDTHS", "EXAMPLES_MAIN")
hBorder = borderWidths<1>
vBorder = borderWidths<2>

*FSERROR Example
Open "JIMMY_TWO_TIMES" To f_jimmy_2x else
    error = Rev_Utility( "FSERROR" )
end
* The error returned if the file does not exist is:
* FS401 - The "JIMMY_TWO_TIMES" table has not been created or attached.

* GETSYSTEMFONTS Example
systemFonts = Rev_Utility("GETSYSTEMFONTS")

* ERRORTTEXT Example
Open "JIMMY_TWO_TIMES" To f_johnny else
    errorCode = @file.error<1>
    errorText = Rev_Utility( "ERRORTTEXT", errorCode )
end
/* The errorText variable should be
401 - The "%1%" table has not been created or attached.
*/

* SETREADONLY Example
* Set all the controls on a form to Read Only.
Ctrlmap = Get_Property(@window, "CTRLMAP")
x = Rev_Utility( "SETREADONLY", ctrlmap, TRUE$)
```