

CURSOR Service

Description

Changes the shape of the mouse cursor.

Note: This is a Windows only function.

Parameters

Parameter	Description												
<code><object></code>	<code><object></code> values are: <table border="1"><thead><tr><th>Value</th><th>Description</th></tr></thead><tbody><tr><td>'A'</td><td>Up Arrow</td></tr><tr><td>'I'</td><td>I-Beam</td></tr><tr><td>'H'</td><td>Hourglass</td></tr><tr><td>'C'</td><td>Cross</td></tr><tr><td>'V'</td><td>Vertical (Down) arrow</td></tr></tbody></table>	Value	Description	'A'	Up Arrow	'I'	I-Beam	'H'	Hourglass	'C'	Cross	'V'	Vertical (Down) arrow
Value	Description												
'A'	Up Arrow												
'I'	I-Beam												
'H'	Hourglass												
'C'	Cross												
'V'	Vertical (Down) arrow												
<i>Returnvalue</i>	The previous cursor value.												

See Also

Name
BEEP Service
CHOOSECOLOR Service
CHOOSEDIR Service
CHOOSEFILE Service
CHOOSEFONT Service
COPYFILE Service
CREATE Service
DESTROY Service
FLUSH Service
GET_EVENT Service
GETLOGICALDRIVES Service
MAKEDIR Service
OBJECTID Service
OBJECTLIST Service
PRINTSETUP Service
REMOVEDIR Service
RENAMEDIR Service

RENAMEFILE Service
RUNHELP Service
RUNWIN Service
TEXTRECT Service
WINCOUNT Service
HANDLE_BY_CURSOR Service
IUNKNOWN_RELEASE Service
LOAD_PICTURE Service
OBJECT_BY_CURSOR Service
PICTURE_PROPS Service