

Command_Services

B	
BindToButton	Binds the command to the given button (currently only supports SRP buttons).
C	
CheckForDuplicateShortcuts	Within the Commands table, checks to see if there are any duplicate keyboard shortcuts.
CommandsInCategory	List all commands that are in a specific command category (group).
D	
Disable	Disables the given commands.
E	
Enable	Enables the given commands.
Execute	Executes the given command.
G	
GenerateXML	Creates the XML used to init a ribbon from all the commands in the database.
GetCategory	Gets the command's category.
GetCategoryList	Gets the list of all command categories.
GetCommand	Gets the command record data.
GetCommandList	Gets the requested list of commands.
GetExecuteProcedure	Gets the command's execute procedure.
GetSmallIcon	Gets the command's small icon image.
GetTreeItem	Converts a command into a SRP Tree ItemList structure.
H	
Hide	Hides the given commands.
I	
Init	Caches useful command information that will be used throughout the life of the application.
N	
NotifyListeners	Posts FW_COMMANDS_CHANGED event to all registered listeners.
R	
RegisterListener	Registers the window to listen for a FW_COMMANDS_CHANGED event.
RemoveCommandFromCache	Called when a command is deleted from the database.
S	
SetCategory	Sets a command's parent category.
SetupTree	Sets up a tree control from start to finish to contain all the commands.
ShowContextMenu	Shows a context menu from the list of commands.
U	
UnregisterListener	Unregisters the window to listen for a FW_COMMANDS_CHANGED event.
UpdateCommand	Update data in a command.
UpdateCommandInCache	Called when a command is updated in the database.

UpdateRepository	Updates the repository to ensure the command has an APPROW entity pointer.
------------------	--