

Background

The button's background.

Usage

```
Set_Property(OLECtrlEntID, "OLE.Background", Array)
```

Values

Array has the following structure:

Pos	Name	Type	Description	Default
<1>	Normal Background	Color Fill	The background of the button in its normal state	None
<2>	Hot Background	Color Fill	The background of the button used when the user hovers the mouse over it	None
<3>	Pushed Background	Color Fill	The background of the button used when the user presses it	None
<4>	Disabled Background	Color Fill	The background of the button used when it is disabled	None
<5>	Focus Background	Color Fill	The background of the button used when is has focus	None

Remarks

The Background property establishes a custom look and feel for your button's background. Any value passed to one of these fields will override the background used by the current [Style](#) property.

The **Normal Background** field allows you to specify the button's background in its rested state. The **Hot Background** field is used when the user hovers over the button with the mouse. The **Pushed Background** field establishes the background for the button while it is being pressed or is in a checked state. The **Disabled Background** field sets the background for the button while it is disabled. Finally, the **Focus Background** sets the background of the button while it has focus.

Note that for any field set to "None", the background in that state is determined by the [Style](#) property. If you prefer to have no background appear when a field is set to "None", then set the [BackVisible](#) property to 0.

Example

```
// Create a nice shiny look and feel
Background = ""
Background<1> = "Vertical(Gradient(S L=90, S L=80, 30%), Gradient(S L=75, S L=80), Border(S L=50))"
Background<2> = "Vertical(Gradient(S C S=100 L=90, S C S=100 L=80, 30%), Gradient(S C S=100 L=75, S C S=100 L=80), Border(S C S=100 L=50))"
Background<3> = "Vertical(Gradient(S C S=100 L=80, S C S=100 L=70, 30%), Gradient(S C S=100 L=65, S C S=100 L=70), Border(S C S=100 L=40))"
Background<4> = "Vertical(Gradient(S C S=0 L=90, S C S=0 L=80, 30%), Gradient(S C S=0 L=75, S C S=0 L=80), Border(S C S=0 L=50))"
Background<5> = "Vertical(Gradient(S C S=100 L=90, S C S=100 L=80, 30%), Gradient(S C S=100 L=75, S C S=100 L=80), Border(S C S=100 L=50))"
Set_Property(@Window:".OLE_BUTTON", "OLE.Background", Background)
```

See Also

[Forecolor](#), [BackVisible](#)