

Properties

OLE control properties are the primary means of interacting with OLE controls. Properties, much like OI control properties, describe the persistent attributes of the control, that is, attributes having some meaningful value for the entire life of the control. Like OI control properties, OLE control properties are manipulated using the `Get_Property` and `Set_Property` routines. The following properties apply to the SRP ReportTable Control:

Property	Description	Version Introduced
AllowSubItemFocus	Determines if focus applies to whole row only or to individual row items.	
AlwaysShowSelection	Forces selection appear normally when table does not have focus.	
AutoPopulate	Temporarily disables auto updating.	
BackColor	The table's background color.	
Border	The controls's border style.	
BorderColors	Customizes the colors of an SRP ActiveX Control's border.	3.1.0
ColumnAlignment	The alignment of the column's contents.	
ColumnAllowDrag	Determines if the user can drag the column.	
ColumnAutoSize	Determines if the column automatically sizes when the table resizes.	
ColumnAutoSortWhenGrouped	Determines if the column automatically sorts when placed in the grouping panel.	
ColumnCheckBox	Determines if the column has check boxes.	
ColumnCheckBoxAlignment	The alignment of the column's check boxes.	
ColumnCount	The number of columns in the table.	
ColumnDataSource	Determines which component of the column constitutes data.	
ColumnFont	The font used to render of the column's data items.	
ColumnFooterAlignment	The alignment of the column's footer.	
ColumnFooterDivider	Determines if the column's footer renders the right divider.	
ColumnFooterFont	The column footer's font.	
ColumnFooterFormat	The column footer's output format.	3.1.4
ColumnFooterList	The list of all column footer values.	3.1.4
ColumnFooterListFormatted	The list of all column footer values, formatted using the column footer's format settings.	3.1.4
ColumnFooterText	The column footer's text.	
ColumnFooterTextFormatted	The column footer's text, formatted using the its format settings.	3.1.4
ColumnFormat	The column's output format.	
ColumnFormula	The column's formula.	3.1.0
ColumnFormulaFormat	The column's format for formulas.	3.1.0
ColumnGroupable	Determines if the column can be grouped.	
ColumnHeaderAlignment	The alignment of the column's header.	
ColumnHeaderFont	The column header's font.	
ColumnHeaderText	The column header's text.	
ColumnHyperlink	Determines if the column has hyperlinks.	
ColumnImage	The column header's image.	
ColumnList	The list of all columns and their attributes.	

ColumnMinWidth	The column's minimum width in pixels.	
ColumnOrder	Column indexes in the order they appear to the user.	
ColumnPosition	The column's position as it appears to the user.	
ColumnResizable	Determines if the user can resize the column.	
ColumnSort	The column's current sort direction.	
ColumnSortable	Determines if the user can sort the column by clicking on its header.	
ColumnTooltip	The column's tooltip to appear when hovering over its header.	
ColumnVisible	Determines if the column is visible to the user.	
ColumnVisibleCount	The number of visible columns in the table.	
ColumnWidth	The column's width, in pixels.	
EmptyTablePrompt	The prompt that appears when the table has no items.	
EnterKeyClickAmt	The number of clicks that are fired when the user presses the Enter key.	
FixedRowHeight	The custom height of all rows.	3.1.1
Focus	The control's focus state.	
FooterVisible	Shows or hides the column footers.	
GroupOrder	The order in which columns are grouped for hierarchical display of rows.	
GroupPanelVisible	Shows or hides the panel to which the user can drag and drop columns.	
GroupRowsBold	Makes group row captions bold.	
HorizontalGridStyle	The style of horizontal grid lines.	3.1.3
GroupRowContextMenuEnabled	Determines if right clicking on a group row fires an event or displays a standard context menu.	3.1.1
GroupRowsShaded	Colorizes groups rows and renders their captions in white.	
HeaderVisible	Shows or hides the column headers.	
HorizontalScroll	Toggles display of a horizontal scroll bar.	
ImageList	All the images used by the report table.	
ItemCheckBox	Determines if an item has a check box.	
ItemChecked	An item's check box state.	
ItemHyperlink	Determines if an item's text is a hyperlink.	
ItemImage	Sets the image to appear next to the item's text	3.1.1
ItemText	An item's text.	
ItemValue	An item's value.	
List	The entire data contents of the table.	
ListEx	The entire data contents of the table including group rows.	
ListExFormatted	The entire data contents of the table including group rows, formatted using the column format settings.	
ListFormatted	The entire data contents of the table, formatted using the column format settings.	
MultiSelect	Toggles on and off the ability to select multiple rows.	
PreviewMode	The mode used to show data previews beneath each row.	
ProgID	The control's ProgID/Class Name.	
RecordColors	The color settings of all records in the table.	
RecordList	The entire data contents of the table in its original form, unsorted and not grouped.	
RecordListFormatted	The entire data contents of the table in its original form, unsorted and not grouped, formatted using the column format settings.	

RowCount	The number of rows in the table.	
RowData	The data for a single row.	
RowExpanded	Determines if a row is expanded or collapsed.	
SelList	The data from all selected rows.	
SelPos	The list of indexes of the selected rows.	
SelPosOrdered	The list of indexes of the selected rows in selected order.	
SortOrder	The order in which columns are sorted.	
Theme	The theme used to render the report table.	3.1.4
TopRow	The row that is scrolled to the top of the viewable area.	
Version	The control's version info.	
VerticalGridStyle	The style of vertical grid lines.	3.1.3