

# Events

OLE control events provide a way for the OLE control to communicate back to OpenInsight. Once an event has been qualified using OI's QUALIFY\_EVENT message, then the OLE control will fire the event to OpenInsight allowing you to respond to any one of the control's predefined actions. Some events allow you to stop certain actions before they occur, so be sure to read the Remarks section of each event carefully. The following events apply to the SRP ReportTable Control:

Event	Description	Version Introduced
<a href="#">OnContextMenuClick</a>	Fired when a menu item on the custom context menu is clicked	
<a href="#">OnGotFocus</a>	Fired when the control receives input focus.	<a href="#">3.1.0</a>
<a href="#">OnHeaderRightClick</a>	Fired when the user right-clicks on a column header	
<a href="#">OnItemCheck</a>	Fired when the user clicks on an item's check box, changing it's value	
<a href="#">OnItemClick</a>	Fired when the user clicks on a row	
<a href="#">OnItemDbClick</a>	Fired when the user double-clicks on a row	
<a href="#">OnItemHyperlink</a>	Fired when the user clicks on a hyperlink	
<a href="#">OnLostFocus</a>	Fired when the control loses input focus.	<a href="#">3.1.0</a>
<a href="#">OnMouseEnter</a>	Fired when mouse enters the control.	<a href="#">3.1.0</a>
<a href="#">OnMouseExit</a>	Fired when the mouse leaves the control.	<a href="#">3.1.0</a>
<a href="#">OnSelChange</a>	Fired when the user changes the selection	