

# Appt

An appointment.

## Usage

```
Set_Property(OLECtrlEntID, "OLE.Appt[ID]", Array)
```

## Values

Array has the following structure:

Pos	Name	Type	Description	Default
<1>	Entity ID	Text	ID of the entity to which the appointment belongs	""
<2>	Start Date & Time	Decimal	The appointment's start date & time in OI internal format	0.0
<3>	End Date & Time	Decimal	The appointment's end date & time in OI internal format	0.0
<4>	Back Color	Color	The color of the appointment block	Select
<5>	Fore Color	Color	The color of the appointment's text	SelectText
<6>	Title	Text	The appointment's title text	""
<7>	Description	Text	The appointment's description	""
<8>	Lead Time	Integer	Time from start of appointment	0
<9>	Lead Back Color	Color	The color of the lead time, if any	3DFace
<10>	Lead Text Color	Color	The color of the lead time's caption and border	3DShadow
<11>	Lead Time Caption	Text	The caption to appear in the center of the lead time area	"Lead Time"
<12>	Trail Time	Integer	Time from end of appointment	0
<13>	Trail Back Color	Color	The color of the trail time, if any	3DFace
<14>	Trail Text Color	Color	The color of the trail time's caption and border	3DShadow
<15>	Trail Time Caption	Text	The caption to appear in the center of the trail time area	"Trail Time"
<16>	Conflict Zone Start Date & Time	Decimal	The date and time where the conflict zone begins.	0
<17>	Conflict Zone End Date & Time	Decimal	The date and time where the conflict zone ends.	0
<18>	Class	Text	A custom string that classifies this appointment according to the application's needs.	""

## Indices

Index	Description
ID	Unique ID of an existing appointment

## Remarks

The Appt property is an appointment. You can use it to get the current information on an appointment or to update an appointment. The data is an @FM delimited list. See [AppointmentList](#) for more details.

## Example

```
// Move the appointment to another entity
Set_Property(@Window:".OLE_SCHEDULE", "OLE.Appt[":ApptID:"]", NewEntity)

// Update an appointment's color
Set_Property(@Window:".OLE_SCHEDULE", "OLE.Appt[":ApptID:"]", @FM:@FM:@FM:RGB(255, 0, 0))

// Get an appointment
Appt = Get_Property(@Window:".OLE_SCHEDULE", "OLE.Appt[":ApptID:"]")
```

## See Also

[ApptLocked](#), [AppointmentList](#), [SelAppt](#)