

## 3.x - HTTP\_Version\_Services

Web service (API) for the SRP HTTP Framework version.

### Syntax

```
Response = HTTP_Version_Services(RemainingURL)
```

### Returns

The meaning of the response value depends on the HTTP request. Responses are strictly for debugging purposes only since web service routines should be using the services in the [HTTP\\_Service](#) routine.

### Parameters

Parameter	Description
RemaiiningURL	The remaining portion of the URL that follows the URL that launched this current service. If this is empty, it implies that the URL has reached the end point. See the remarks section below. <b>Required.</b>

### Remarks

This is a very limited web service that only supports the GET method and simply returns the version information for the SRP HTTP Framework product. It is available from the default [3.x - HTTP\\_Entry\\_Point\\_Services](#) API.

### Setup Variables

Variables	Description
<b>APIURL</b>	The base URL for the API entry point (e.g., <a href="#">api.mysite.com/v1</a> ).
<b>FullEndPointURL</b>	The URL submitted by the client.
<b>HTTPMethod</b>	The HTTP Method (Verb) submitted by the client (e.g., GET, POST, etc.)
<b>SelfURL</b>	The URL path representing the current service.
<b>NextSegment</b>	The URL segment immediately following the SelfURL (if any). This could contain the name of the next service or it could contain the Item ID for the current service (aka resource).
<b>CurrentService Handler</b>	The name of the currently running BASIC+ stored procedure.