

Push.Session Subroutine

Description

Push.Session is a subroutine that saves the current environment parameters in the variables specified.

Syntax

Push.Session(*cursor.loc*, *sentence*, *record*, *id*, *dict*, *mv*)

Using Push.Session

Use Push.Session to save the values of certain environment variables:

@SENTENCE
@RECORD
@ID
@DICT
@MV
@INSERT

as well as the current cursor position and video attributes.

Parameters

The Push.Session subroutine has the following parameters:

Parameter	Description
<i>cursor.loc</i>	Use <i>cursor.loc</i> to store the current cursor position.
<i>sentence</i>	Use <i>sentence</i> to store the current value of @SENTENCE (the most recent TCL sentence).
<i>record</i>	Use <i>record</i> to store the current value of @RECORD (the current record).
<i>id</i>	Use <i>id</i> to store the current value of @ID (the current record key).
<i>dict</i>	Use <i>dict</i> to store the current value of @DICT (the dictionary associated with the primary file).
<i>mv</i>	Use <i>mv</i> to store the current value of @MV, @INSERT (see Appendix I, "System Variables"), and the current video attributes (delimited by @RM).

Values Returned

Push.Session passes the current session *values* described above in the argument list..

See also

[Pop.Session subroutine](#)

Example

```
/* The following code demonstrates the use of Push.Session */
Declare subroutine Push.Session, Pop.Session, Msg
Push.Session(cursor, sentence, record, id, dict, mv)
* Call a subroutine that modified the environment parameters.
Gosub Change_Environ
Pop.Session(cursor, sentence, record, id, dict, mv)
```