BERRORS

- * mtr 9-11-2001 * Provided per user request

100	Description
B101	Sort mode selected is not correct. Column %1% already has relational index with %2% mode. Please apply this mode for creating c
B102	%1% already has a relational index established from table %2%. The Relational index cannot be set again from table %3%.
B103	Compressing %1%
B104	%1% has been selected, but cannot be found in %2%.
B105	The dBASEIII file %1% already exists. Do you want to overwrite it?
B106	The dBASEIII memo file %1% already exists. Do you want to overwrite it?
B107	Cannot find the %1% command in the LIST.SUB subroutines.
B108	Enter number.
B109	Enter text without quotes.
B110	Port Call:
B111	An invalid option was used in the "PORT" command.
B112	The code %2% is not valid in "%1%".
B113	The %1% option is not currently implemented.
B114	Not available.
B115	The column must not be a symbolic, group, or key column, or have a relational index on it.
B116	You must first select a column.
B117	Enter a table name followed by a slash (/) and a column name.
B118	Warning! All index information will be deleted from %1%. Do you want to continue?
B119	Clearing indexing information in %1%
B120	Deleting Cross Reference information from %1%
B121	The character column %1% is longer than the 254 character limit. Use a memo field for this column.
B123	Finding indexed tables
B124	Collecting indexing information
B125	Enter a new table name for the save list statement. Press [Esc] to cancel the process.
B126	%1% is a new row.
B127	%1% is an invalid row.
B128	Hours cannot exceed 12.
B129	Text cut into buffer %1%.
B130	"%1%" was not found.
B131	The default macro set %1% cannot be found.
B132	The header for group 1 has been corrupted. No framesize or modulo information can be read. Do you want to fix group 1?
B133	Cannot determine the framesize of this table. Please enter your best estimate for the framesize in bytes.
B134	Framesize must divide evenly into the filesize (%1%).
B135	The FRAMESIZE must be between 256 and 10000.
B136	The FRAMESIZE parameter must be numeric.
B137	Enter a group or group range to fix. Formats are: x, x-y, ALL. Press [Esc] to cancel the process.

Newportable	B138	Response = %1%
B140 Rebulding the primary % figure Copying all good rows found from a temporary table back into re-initialized groups Another station is fixing. Please try again later. Another station is fixing. Please try again later. B143 The overflow freelist has been cleared. You can issue a compress to recover and re-order the overflow frames. B144 Compress lile. There must be no other user of this lile. After compression, this file should be re-attached at all other s B145 An error occurred during the compress operation. The operation has been canceled. The drive %1% does not contain Advanced Revelation files. B146 The drive %1% does not contain Advanced Revelation files. B147 The program OCONV.RUN is not available in the SYSOBJ stable. B148 Enter the names of the programs to display. B149 The %1% table was not found. Do you want to list all indexed tables? B150 The %1% table is not indexed. Do you want to list all indexed tables? B151 You have defined ain index. Do you want to list all indexed tables? B152 "CAUTION! You have asked to delete rows from SYSODLIMNS. These rows will also be deleted from your dictionaries. Do you want to c B152 "CAUTION! You have asked to delete rows from SYSODLIMNS. These rows will also be deleted from your dictionaries. Do you want to c B153 The %1% colourn in the dictionary B154 Sifficing the %1% colourn in the dictionary B155 Finding the %1% colourn in the dictionary B156 No formula has been saved. B157 Will %45% be a key prompt? B158 No formula has been saved. B159 The formula was not changed. B160 Collector windows do not use dictionary formulas. B161 Collecting information about indexes B162 The window %1% cannot be found. B163 Updating the dictionary B164 Siff will not bind correctly. B165 Collecting information about indexes B168 Collecting information about indexes B169 Collecting information about indexes B160 Collecting information about indexes B161 Will will will will will be will be will be will be will be will b		·
B141 Copying all good rows found from a temporary table back into re-initialized groups B142 Another station is fixing. Please by again later. B143 The overflow freelist has been cleared. You can issue a compress to recover and re-order the overflow frames. B144 Compress file. There must be no other user of this file. After compression, this file should be re-attached at all other s B146 An error occurred during the compress operation. The operation has been canceled. B147 The fire with does not contain Advanced Revelation files. B148 The more commend of the programs to display. B148 The manes of the programs to display. B149 The fire the names of the programs to display. B150 The %1% table is not indexed. Do you want to list all indexed tables? B151 You have defined an index. Do you want to turn it on? B152 "CAUTION" You have asked to delete rows from SYSCOLUMNS. These rows will also be deleted from your dictionaries. Do you want to on the Will %15% be a key prompt? B153 The %15 column in the dictionary B156 Fild (and) the %15 column in the dictionary B157 %1% courself the found in the will will see the see server. B158 Fild (and) the %15 column in the dictionary		• • •
B142 Another station is fixing. Please try again later. B143 The overflow freelist has been cleared. You can issue a compress to recover and re-order the overflow frames. B144 Compress file. There must be no other user of this file. After compression, this file should be re-attached at all others. B145 An error occurred during the compress operation. The operation has been canceled. B146 The drive %1% does not contain Advanced Revelation files. B147 The program OCONV.RUN is not available in the SYSOBJ table. B148 Enter the names of the programs to display. B149 The %1% table was not found. Do you want to list all indexed tables? B150 The %1% table is not indexed. Do you want to list all indexed tables? B1510 The %1% table is not indexed. Do you want to list all indexed tables? B1510 The %1% table is not indexed. Do you want to list all indexed tables? B1510 The %1% to lave defined an index. Do you want to turn it on? B152 CAUTION* You have asked to delete rows from SYSCOLUMNS. These rows will also be deleted from your dictionaries. Do you want to content in the %2% table is not available. Do you want to list all indexed columns? B153 The %1% column in the %2% table is not available. Do you want to list all indexed columns? B154 Will %1% be a key prompt? B155 Finding the %1% column in the dictionary B156 %1% council to formula may be seen saved. B157 %1% is currently a Data Column at position %3% Do you want to convent it to a Symbolic column? B158 No formula has been saved. B169 Cellector windows do not use dictionary formulas. B161 The object code for %2% cannot be found in the %1% table. %2% is also not cataloged. Please enter the name of the table containin B162 Cellector windows do not use dictionary. B163 No founds was not changed. B164 Cannot find the row %1% in the %2% table. Cellecting information about indexes B165 Key capture functions have been disabled. B167 Window %1% is about to be deleted from %2%. Do you want to continue? B178 No columns are indexed within a prot		
B143 The overflow freelist has been cleared. You can issue a compress to recover and re-order the overflow frames. B144 Compress file. There must be no other user of this file. After compression, this file should be re-attached at all others An error occurred during the compress operation. The operation has been canceled. B146 An error occurred during the compress operation. The operation has been canceled. B147 The drive %1% does not contain Advanced Revelstion files. B148 Enter the names of the programs to display. B149 The %1% table was not found. Do you want to list all indexed tables? B150 The %1% table is not indexed. Do you want to list all indexed tables? B151 You have defined an index. Do you want to list all indexed tables? B152 CAUTION? You have asked to delete rows from SYSCOLUMNS. These rows will also be deleted from your dictionaries. Do you want to C B152 Will %1% be a key prompt? B153 The %1% column in the %2% table is not available. Do you want to list all indexed columns? B154 Will %1% be a key prompt? B155 Finding the %1% column in the dictionary B156 %1% cannot be found. It must exist in %2%. B157 %1% is currently a Data Column at position %3% Do you want to convert it to a Symbolic column? B158 No formula has been saved. B159 The formula was not changed. B160 Collector windows do not use dictionary formulas. B161 The object code for \$2% cannot be found. B162 The window %1% cannot be found. B163 Updating the dictionary B164 %1% did not bind correctly. B165 No index values were found. B166 Cannot find the row %1% in the %2% table. B167 Collecting information about indexes B168 Key capture functions have been disabled. B170 Macro execution has been disabled. B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 Enter the number of rows to select or leave this blank to select all rows.		
B144 Compress file. There must be no other user of this file. After compression, this file should be re-attached at all others An error occurred during the compress operation. The operation has been canceled. The drive %1% does not contain Advanced Revelation files. The program OCONV.RUN is not available in the SYSOBJ table. B147 The program OCONV.RUN is not available in the SYSOBJ table. B148 Enter the names of the programs to display. B149 The %1% table is not indexed. Do you want to list all indexed tables? B150 The \$41% table is not indexed. Do you want to list all indexed tables? B151 You have defined an index. Do you want to list all indexed tables? B152 CAUTION You have asked to delete rows from SYSCOLUMNS. These rows will also be deleted from your dictionaries. Do you want to contain the %1% table is not available. Do you want to list all indexed columns? B153 The \$41% column in the %2% table is not available. Do you want to list all indexed columns? B154 Will "%1% be a key prompt? B155 Finding the %1% column in the dictionary B156 %4% cannot be found. It must exist in %2%. B157 %1% is currently a Data Column at position %3% Do you want to convert it to a Symbolic column? B158 No formula has been saved. B169 The formula was not changed. B160 Collector windows do not use dictionary formulas. B161 The object code for %2% cannot be found in the \$41% table. %2% is also not cataloged. Please enter the name of the table containin B162 The window %1% cannot be found. B163 A %4% did not bind correctly. B164 Sex cannot be found. B165 No index values were found. B166 Cannot find the row \$41% in the \$22% table. B167 Collecting information about indexes B168 Key capture functions have been disabled. B170 Macro execution has been disabled. B171 Window \$1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 Formula and allowed before row \$45%. B174 Enter the auding text for this column.		
B144 An error occurred during the compress operation. The operation has been canceled. 1146 The drive %1% does not contain Advanced Revelation files. 1147 The program CCONV.RUN is not available in the SYSOBJ table. 1148 Enter the names of the programs to display. 1149 Enter the names of the programs to display. 1150 The %1% table was not found. Do you want to list all indexed tables? 1151 You have defined an index. Do you want to list all indexed tables? 1152 "CAUTION" You have asked to delete rows from SYSCOLUMNS. These rows will also be deleted from your dictionaries. Do you want to c. 1153 The %1% table was ked to delete rows from SYSCOLUMNS. These rows will also be deleted from your dictionaries. Do you want to c. 1154 Will "%1%" be a key prompt? 1155 Finding the %1% column in the dictionary 1156 %4% cannot be found. It must exist in %2%. 1157 %1% is currently a Data Column at position %3%. Do you want to convert it to a Symbolic column? 1158 No formula has been saved. 1159 The formula was not changed. 1150 Cellector windows do not use dictionary formulas. 1150 Updating the dictionary 1150 Vill %1% of which was not be found. 1150 Updating the dictionary 1150 No index values were found. 1150 Collector windows 41% cannot be found. 1150 Collector information about indexes 1150 No index values were found. 1150 Collecting information about indexes 1151 Window %1% is about to be deleted from %2%. Do you want to continue? 1151 Deleting 1151 Deleting 1152 Deleting 1153 Deleting 1154 Sorting is not allowed within a protected group. 1157 Sorting is not allowed within a protected group. 1157 Enter heading text for this column.		·
### Bit46 The drive %1% does not contain Advanced Revelation files. ### The program OCONV.RUN is not available in the SYSOBJ table. ### Enter the names of the programs to display. ### The %1% table is not indexed. Do you want to list all indexed tables? ### Two have defined an index. Do you want to list all indexed tables? ### Two have defined an index. Do you want to list all indexed tables? ### Two have defined an index. Do you want to list all indexed tables? ### Two have defined an index. Do you want to turn it on? ### Two have defined an index. Do you want to turn it on? ### Will "%1%" be a key prompt? ### Will "w1%" be a key prompt? ### Will "w1%" a Data Column in the dictionary ### Will "w1%" a Data Column in the dictionary ### Will "w1%" a Data Column at position %3%. Do you want to convert it to a Symbolic column? ### Will "w1%" be a key prompt? ### Will "w1%" a Data Column at position %3%. Do you want to convert it to a Symbolic column? ### Will "w1%" a Data Column at position %3%. Do you want to convert it to a Symbolic column? ### Will "w1%" a Data Column at position %3%. Do you want to convert it to a Symbolic column? ### Will "w1%" a Data Column at position %3%. Do you want to convert it to a Symbolic column? ### Will "w1%" a Data Column at position %3%. Do you want to convert it to a Symbolic column? ### Will "w1%" a Collector windows do not use dictionary formulas. ### Will "w1%" a Collector w1%" cannot be found. ### Will "w1%" a Collector w1%" cannot be found. ### Will "w1%" a Collector w1%" in the %1% table. %2% is also not cataloged. Please enter the name of the table containin ### Will "w1%" a Collection information about indexes ### Will "w1%" a Collection information about indexes ### Will "w1%" a Symbolic column.		
### Bright Control of the program of the programs to display. ### Bright Control of the programs to display. #### Bright Control of the programs to display. ##### Bright Control of the programs to display. ##### Bright Control of the programs to display. ###################################		
B149 Enter the names of the programs to display. B149 The %1% table was not found. Do you want to list all indexed tables? B150 The %1% table is not indexed. Do you want to list all indexed tables? B151 You have defined an index. Do you want to turn it on? B152 **CAUTION** You have asked to delete rows from SYSCOLUMNS. These rows will also be deleted from your dictionaries. Do you want to c B153 The %1% column in the %2% table is not available. Do you want to list all indexed columns? B154 Will **S15** be a key prompt? B155 Finding the %1% column in the dictionary B156 %1% cannot be found. It must exist in %2%. B157 %1% is currently a Data Column at position %3% Do you want to convert it to a Symbolic column? B158 No formula has been saved. B159 The formula was not changed. B160 Collector windows do not use dictionary formulas. B161 The object code for %22% cannot be found in the %1% table. %2% is also not cataloged. Please enter the name of the table containin B162 The window %1% cannot be found. B163 Will did not bind correctly. B164 %1% did not bind correctly. B165 No lindex values were found. B166 Cannot find the row %1% in the %2% table. B167 Collecting information about indexes B168 Key capture functions have been disabled. B169 This is an invalid key. B170 Macro execution has been disabled. B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed within a protected group. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter the adding text for this column.		
B149 The %1% table was not found. Do you want to list all indexed tables? B150 The %1% table is not indexed. Do you want to list all indexed tables? B151 You have defined an index. Do you want to turn it on? B152 CAUTION' You have asked to delete rows from SYSCOLUMNS. These rows will also be deleted from your dictionaries. Do you want to comment of the %1% column in the %2% table is not available. Do you want to list all indexed columns? B153 The %1% column in the dictionary B154 Will %1%' be a key prompt? B155 Finding the %1% column in the dictionary B156 S1% cannot be found. It must exist in %2%. B157 %1% is currently a Data Column at position %3%. Do you want to convert it to a Symbolic column? B158 No formula has been saved. B159 The formula was not changed. B160 Collector windows do not use dictionary formulas. B161 The object code for %2% cannot be found in the %1% table. %2% is also not cataloged. Please enter the name of the table containin B162 The window %1% cannot be found. B163 Vedating the dictionary B164 S1% did not bind correctly. B165 No index values were found. B166 Cannot find the row %1% in the %2% table. B167 Collecting information about indexes B168 Key capture functions have been disabled. B169 This is an invalid key. B170 Macro execution has been disabled. B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed within a protected group. B176 Enter heading text for this column.		
B150 The %1% table is not indexed. Do you want to list all indexed tables? 1515 You have defined an index. Do you want to turn it on? 1515 'CAUTION' You have asked to delete rows from SYSCOLUMNS. These rows will also be deleted from your dictionaries. Do you want to co. 1515 The %1% column in the %2% table is not available. Do you want to list all indexed columns? 1516 Will %1% be a key prompt? 1515 Finding the %1% column in the dictionary 1516 %1% cannot be found. It must exist in %2%. 1517 %1% is currently a Data Column at position %3% Do you want to convert it to a Symbolic column? 1518 No formula has been saved. 1519 The formula was not changed. 1510 Collector windows do not use dictionary formulas. 1510 The window %1% cannot be found. 1510 The window %1% cannot be found. 1510 Window %1% cannot be found. 1511 The window %1% cannot be found. 1512 The window %1% cannot be found. 1513 Updating the dictionary 1514 %1% did not bind correctly. 1515 No index values were found. 1516 Collecting information about indexes 1517 Collecting information about indexes 1518 Key capture functions have been disabled. 1519 This is an invalid key. 1510 Macro execution has been disabled. 1511 Window %1% is about to be deleted from %2%. Do you want to continue? 1512 Deleting 1513 No columns are indexed in %1%. 1514 Sorting is not allowed within a protected group. 1515 Sorting is not allowed within a protected group. 1516 Enter the number of rows to select or leave this blank to select all rows. 1517 Enter heading text for this column.		
Post You have defined an index. Do you want to turn it on?		·
B152 "CAUTION" You have asked to delete rows from SYSCOLUMNS. These rows will also be deleted from your dictionaries. Do you want to c B153 The %1% column in the %2% table is not available. Do you want to list all indexed columns? B154 Will "%1%" be a key prompt? B155 Finding the %1% column in the dictionary B156 %1% cannot be found. It must exist in %2%. B157 %1% is currently a Data Column at position %3% Do you want to convert it to a Symbolic column? B158 No formula has been saved. B159 The formula was not changed. B160 Collector windows do not use dictionary formulas. B161 The object code for %2% cannot be found in the %1% table. %2% is also not cataloged. Please enter the name of the table containin B162 The window %1% cannot be found. B163 Updating the dictionary B164 %1% did not bind correctly. B165 No index values were found. B166 Cannot find the row %1% in the %2% table. B167 Collecting information about indexes B168 Key capture functions have been disabled. B169 This is an invalid key. B170 Macro execution has been disabled. B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed within a protected group. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.		·
The %1% column in the %2% table is not available. Do you want to list all indexed columns? ### 155 ### 156 #		•
B154 Will "%1%" be a key prompt? B155 Finding the %1% column in the dictionary B156 %1% cannot be found. It must exist in %2%. B157 %1% is currently a Data Column at position %3% Do you want to convert it to a Symbolic column? B158 No formula has been saved. B159 The formula was not changed. B160 Collector windows do not use dictionary formulas. B161 The object code for %2% cannot be found in the %1% table. %2% is also not cataloged. Please enter the name of the table containin B162 The window %1% cannot be found. B163 Updating the dictionary B164 %1% did not bind correctly. B165 No index values were found. B166 Cannot find the row %1% in the %2% table. B167 Collecting information about indexes B168 Key capture functions have been disabled. B169 This is an invalid key. B170 Macro execution has been disabled. B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.		
B155 Finding the %1% column in the dictionary B156 %1% cannot be found. It must exist in %2%. B157 %1% is currently a Data Column at position %3% Do you want to convert it to a Symbolic column? B158 No formula has been saved. B159 The formula was not changed. B160 Collector windows do not use dictionary formulas. B161 The object code for %2% cannot be found in the %1% table. %2% is also not cataloged. Please enter the name of the table containin B162 The window %1% cannot be found. B163 Updating the dictionary B164 %1% did not bind correctly. B165 No index values were found. B166 Cannot find the row %1% in the %2% table. B167 Collecting information about indexes B168 Key capture functions have been disabled. B169 This is an invalid key. B170 Macro execution has been disabled. B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.		·
B156 %1% cannot be found. It must exist in %2%. B157 %1% is currently a Data Column at position %3% Do you want to convert it to a Symbolic column? B158 No formula has been saved. B159 The formula was not changed. B160 Collector windows do not use dictionary formulas. B161 The object code for %2% cannot be found in the %1% table. %2% is also not cataloged. Please enter the name of the table containin B162 The window %1% cannot be found. B163 Updating the dictionary B164 %1% did not bind correctly. B165 No index values were found. B166 Cannot find the row %1% in the %2% table. B167 Collecting information about indexes B168 Key capture functions have been disabled. B170 Macro execution has been disabled. B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.		
8157 %1% is currently a Data Column at position %3% Do you want to convert it to a Symbolic column? 8158 No formula has been saved. 8159 The formula was not changed. 8160 Collector windows do not use dictionary formulas. 8161 The object code for %2% cannot be found in the %1% table. %2% is also not cataloged. Please enter the name of the table containin 8162 The window %1% cannot be found. 8163 Updating the dictionary 8164 %1% did not bind correctly. 8165 No index values were found. 8166 Cannot find the row %1% in the %2% table. 8167 Collecting information about indexes 8168 Key capture functions have been disabled. 8169 This is an invalid key. 8170 Macro execution has been disabled. 8171 Window %1% is about to be deleted from %2%. Do you want to continue? 8172 Deleting 8173 No columns are indexed in %1%. 8174 Sorting is not allowed within a protected group. 8175 Sorting is not allowed before row %1%. 8176 Enter the number of rows to select or leave this blank to select all rows. 8177 Enter heading text for this column.	B155	Finding the %1% column in the dictionary
B158 No formula has been saved. B159 The formula was not changed. B160 Collector windows do not use dictionary formulas. B161 The object code for %2% cannot be found in the %1% table. %2% is also not cataloged. Please enter the name of the table containin B162 The window %1% cannot be found. B163 Updating the dictionary B164 %1% did not bind correctly. B165 No index values were found. B166 Cannot find the row %1% in the %2% table. B167 Collecting information about indexes B168 Key capture functions have been disabled. B169 This is an invalid key. B170 Macro execution has been disabled. B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.	B156	%1% cannot be found. It must exist in %2%.
B159 The formula was not changed. B160 Collector windows do not use dictionary formulas. B161 The object code for %2% cannot be found in the %1% table. %2% is also not cataloged. Please enter the name of the table containin B162 The window %1% cannot be found. B163 Updating the dictionary B164 %1% did not bind correctly. B165 No index values were found. B166 Cannot find the row %1% in the %2% table. B167 Collecting information about indexes B168 Key capture functions have been disabled. B169 This is an invalid key. B170 Macro execution has been disabled. B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.	B157	%1% is currently a Data Column at position %3% Do you want to convert it to a Symbolic column?
B160 Collector windows do not use dictionary formulas. B161 The object code for %2% cannot be found in the %1% table. %2% is also not cataloged. Please enter the name of the table containin B162 The window %1% cannot be found. B163 Updating the dictionary B164 %1% did not bind correctly. B165 No index values were found. B166 Cannot find the row %1% in the %2% table. B167 Collecting information about indexes B168 Key capture functions have been disabled. B169 This is an invalid key. B170 Macro execution has been disabled. B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.	B158	No formula has been saved.
The object code for %2% cannot be found in the %1% table. %2% is also not cataloged. Please enter the name of the table containin B162 The window %1% cannot be found. B163 Updating the dictionary B164 %1% did not bind correctly. B165 No index values were found. B166 Cannot find the row %1% in the %2% table. B167 Collecting information about indexes B168 Key capture functions have been disabled. B169 This is an invalid key. B170 Macro execution has been disabled. B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.	B159	The formula was not changed.
B162 The window %1% cannot be found. B163 Updating the dictionary B164 %1% did not bind correctly. B165 No index values were found. B166 Cannot find the row %1% in the %2% table. B167 Collecting information about indexes B168 Key capture functions have been disabled. B169 This is an invalid key. B170 Macro execution has been disabled. B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.	B160	Collector windows do not use dictionary formulas.
B163 Updating the dictionary B164 %1% did not bind correctly. B165 No index values were found. B166 Cannot find the row %1% in the %2% table. B167 Collecting information about indexes B168 Key capture functions have been disabled. B169 This is an invalid key. B170 Macro execution has been disabled. B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.	B161	The object code for %2% cannot be found in the %1% table. %2% is also not cataloged. Please enter the name of the table containin
B164 %1% did not bind correctly. B165 No index values were found. B166 Cannot find the row %1% in the %2% table. B167 Collecting information about indexes B168 Key capture functions have been disabled. B169 This is an invalid key. B170 Macro execution has been disabled. B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.	B162	The window %1% cannot be found.
B165 No index values were found. B166 Cannot find the row %1% in the %2% table. B167 Collecting information about indexes B168 Key capture functions have been disabled. B169 This is an invalid key. B170 Macro execution has been disabled. B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.	B163	Updating the dictionary
B166 Cannot find the row %1% in the %2% table. B167 Collecting information about indexes B168 Key capture functions have been disabled. B169 This is an invalid key. B170 Macro execution has been disabled. B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.	B164	%1% did not bind correctly.
B167 Collecting information about indexes B168 Key capture functions have been disabled. B169 This is an invalid key. B170 Macro execution has been disabled. B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.	B165	No index values were found.
B168 Key capture functions have been disabled. B169 This is an invalid key. B170 Macro execution has been disabled. B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.	B166	Cannot find the row %1% in the %2% table.
B169 This is an invalid key. B170 Macro execution has been disabled. B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.	B167	Collecting information about indexes
B170 Macro execution has been disabled. B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.	B168	Key capture functions have been disabled.
B171 Window %1% is about to be deleted from %2%. Do you want to continue? B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.	B169	This is an invalid key.
B172 Deleting B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.	B170	Macro execution has been disabled.
B173 No columns are indexed in %1%. B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.	B171	Window %1% is about to be deleted from %2%. Do you want to continue?
B174 Sorting is not allowed within a protected group. B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.	B172	Deleting
B175 Sorting is not allowed before row %1%. B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.	B173	No columns are indexed in %1%.
B176 Enter the number of rows to select or leave this blank to select all rows. B177 Enter heading text for this column.	B174	Sorting is not allowed within a protected group.
B177 Enter heading text for this column.	B175	Sorting is not allowed before row %1%.
	B176	Enter the number of rows to select or leave this blank to select all rows.
B178 Enter an output format code. (example: "D2/" for a date format of mm/dd/yy)	B177	Enter heading text for this column.
	B178	Enter an output format code. (example: "D2/" for a date format of mm/dd/yy)

B179	Enter a heading.
B180	Enter a footing.
B181	QBEC1, HORMV.OUT sync error?
B182	QBEC1, HORMV.SCB out of sync?
B184	Building query
B185	Updating %1% in the %2% table
B186	No key prompt was specified. The default key prompt will be %1%.
B187	You must create at least one prompt before you can save this window. The save operation has been canceled.
B188	The window %1% was not locked. No changes will be saved.
B189	Join prompt %1% cannot be found.
B190	Do you want to execute the filter?
B191	%1%, needed for index transactions is not available. Indexes depending on this table will probably need rebuilding.
B192	The Lotus file %1% already exists. Do you want to overwrite it?
B193	Enter a variable name.
B194	Editing must be complete to continue.
B194	There is nothing to pan.
B195	This label is as large as you can make it in the current window.
B190	You have reached the edge of window space. You may want to try resizing your window using [Ctrl-F7].
B198	The dictionary of %1% is in use. No changes will be saved. The dictionary is in use also where. The hinding counts he changed.
B199	The dictionary is in use elsewhere. The binding cannot be changed.
200	Description
B200	You have maximized this prompt entry in the current window. You may want to try resizing your window using [Ctrl-F7].
B200 B201	You have maximized this prompt entry in the current window. You may want to try resizing your window using [Ctrl-F7]. Reading window
B200	You have maximized this prompt entry in the current window. You may want to try resizing your window using [Ctrl-F7]. Reading window %1% has %2% installed. Do you want to remove %2%?
B200 B201	You have maximized this prompt entry in the current window. You may want to try resizing your window using [Ctrl-F7]. Reading window
B200 B201 B202	You have maximized this prompt entry in the current window. You may want to try resizing your window using [Ctrl-F7]. Reading window %1% has %2% installed. Do you want to remove %2%?
B200 B201 B202 B203	You have maximized this prompt entry in the current window. You may want to try resizing your window using [Ctrl-F7]. Reading window %1% has %2% installed. Do you want to remove %2%? Removing the %1% modifying filing system from %2%
B200 B201 B202 B203 B204	You have maximized this prompt entry in the current window. You may want to try resizing your window using [Ctrl-F7]. Reading window %1% has %2% installed. Do you want to remove %2%? Removing the %1% modifying filing system from %2% Waiting until the source record %1% can be locked
B200 B201 B202 B203 B204 B205	You have maximized this prompt entry in the current window. You may want to try resizing your window using [Ctrl-F7]. Reading window %1% has %2% installed. Do you want to remove %2%? Removing the %1% modifying filing system from %2% Waiting until the source record %1% can be locked %1% is locked. No R/LIST program was generated. An invalid expression or column has been detected in line %1%. %1% is not a valid dBASEIII file.
B200 B201 B202 B203 B204 B205 B206	You have maximized this prompt entry in the current window. You may want to try resizing your window using [Ctrl-F7]. Reading window %1% has %2% installed. Do you want to remove %2%? Removing the %1% modifying filing system from %2% Waiting until the source record %1% can be locked %1% is locked. No R/LIST program was generated. An invalid expression or column has been detected in line %1%.
B200 B201 B202 B203 B204 B205 B206 B207	You have maximized this prompt entry in the current window. You may want to try resizing your window using [Ctrl-F7]. Reading window %1% has %2% installed. Do you want to remove %2%? Removing the %1% modifying filing system from %2% Waiting until the source record %1% can be locked %1% is locked. No R/LIST program was generated. An invalid expression or column has been detected in line %1%. %1% is not a valid dBASEIII file.
B200 B201 B202 B203 B204 B205 B206 B207 B208	You have maximized this prompt entry in the current window. You may want to try resizing your window using [Ctrl-F7]. Reading window %1% has %2% installed. Do you want to remove %2%? Removing the %1% modifying filing system from %2% Waiting until the source record %1% can be locked %1% is locked. No R/LIST program was generated. An invalid expression or column has been detected in line %1%. %1% is not a valid dBASEIII file. Do you want to perform the conversion?
B200 B201 B202 B203 B204 B205 B206 B207 B208 B209	You have maximized this prompt entry in the current window. You may want to try resizing your window using [Ctrl-F7]. Reading window %1% has %2% installed. Do you want to remove %2%? Removing the %1% modifying filing system from %2% Waiting until the source record %1% can be locked %1% is locked. No R/LIST program was generated. An invalid expression or column has been detected in line %1%. %1% is not a valid dBASEIII file. Do you want to perform the conversion? That is an invalid color name.
B200 B201 B202 B203 B204 B205 B206 B207 B208 B209	You have maximized this prompt entry in the current window. You may want to try resizing your window using [Ctrl-F7]. Reading window %1% has %2% installed. Do you want to remove %2%? Removing the %1% modifying filing system from %2% Waiting until the source record %1% can be locked %1% is locked. No R/LIST program was generated. An invalid expression or column has been detected in line %1%. %1% is not a valid dBASEIII file. Do you want to perform the conversion? That is an invalid color name. If no record delimiter is specified, a record length must be specified.
B200 B201 B202 B203 B204 B205 B206 B207 B208 B209 B210 B211	You have maximized this prompt entry in the current window. You may want to try resizing your window using [Ctrl-F7]. Reading window %1% has %2% installed. Do you want to remove %2%? Removing the %1% modifying filing system from %2% Waiting until the source record %1% can be locked %1% is locked. No R/LIST program was generated. An invalid expression or column has been detected in line %1%. %1% is not a valid dBASEIII file. Do you want to perform the conversion? That is an invalid color name. If no record delimiter is specified, a record length must be specified. The operating system file %1% already exists. Do you want to overwrite it?
B200 B201 B202 B203 B204 B205 B206 B207 B208 B209 B210 B211 B212	You have maximized this prompt entry in the current window. You may want to try resizing your window using [Ctrl-F7]. Reading window %1% has %2% installed. Do you want to remove %2%? Removing the %1% modifying filling system from %2% Waiting until the source record %1% can be locked %1% is locked. No R/LIST program was generated. An invalid expression or column has been detected in line %1%. %1% is not a valid dBASEIII file. Do you want to perform the conversion? That is an invalid color name. If no record delimiter is specified, a record length must be specified. The operating system file %1% already exists. Do you want to overwrite it? The HELP file is not available. No help message will be saved. Do you want to continue?
B200 B201 B202 B203 B204 B205 B206 B207 B208 B209 B210 B211 B212 B213	You have maximized this prompt entry in the current window. You may want to try resizing your window using [Ctrl-F7]. Reading window %1% has %2% installed. Do you want to remove %2%? Removing the %1% modifying filing system from %2% Waiting until the source record %1% can be locked %1% is locked. No R/LIST program was generated. An invalid expression or column has been detected in line %1%. %1% is not a valid dBASEIII file. Do you want to perform the conversion? That is an invalid color name. If no record delimiter is specified, a record length must be specified. The operating system file %1% already exists. Do you want to overwrite it? The HELP file is not available. No help message will be saved. Do you want to continue? Done.
B200 B201 B202 B203 B204 B205 B206 B207 B208 B209 B210 B211 B212 B213 B214	You have maximized this prompt entry in the current window. You may want to try resizing your window using [Ctrl-F7]. Reading window %1% has %2% installed. Do you want to remove %2%? Removing the %1% modifying filing system from %2% Waiting until the source record %1% can be locked %1% is locked. No R/LIST program was generated. An invalid expression or column has been detected in line %1%. %1% is not a valid dBASEIII file. Do you want to perform the conversion? That is an invalid color name. If no record delimiter is specified, a record length must be specified. The operating system file %1% already exists. Do you want to overwrite it? The HELP file is not available. No help message will be saved. Do you want to continue? Done. There are no columns defined in the dictionary of %1%.
B200 B201 B202 B203 B204 B205 B206 B207 B208 B209 B210 B211 B212 B213 B214 B215	You have maximized this prompt entry in the current window. You may want to try resizing your window using [Ctrl-F7]. Reading window %1% has %2% installed. Do you want to remove %2%? Removing the %1% modifying filing system from %2% Waiting until the source record %1% can be locked %1% is locked. No R/LIST program was generated. An invalid expression or column has been detected in line %1%. %1% is not a valid dBASEIII file. Do you want to perform the conversion? That is an invalid color name. If no record delimiter is specified, a record length must be specified. The operating system file %1% already exists. Do you want to overwrite it? The HELP file is not available. No help message will be saved. Do you want to continue? Done. There are no columns defined in the dictionary of %1%. You must add a table to the window before you can use Quick Paint.

B220	The mode %1% is invalid.
B221	The selected objects have been copied to the Paint clipboard.
B222	Function key? %1%
B223	You must be in Roam mode to Insert or Delete rows.
B224	The record already exists in the VOC. Do you want to overwrite it?
B225	Resizing is not supported in Table mode.
B226	You may not pan while in Table mode.
B227	The Window is fully displayed.
B228	There is no transaction file for this Batch Update.
B229	This label is at maximum length for the current window. You may want to try resizing your window using [Ctrl-F7].
B230	A starting byte and a length are required.
B231	Lock information has been updated in the templates in the %1% file.
B232	No related windows are available.
B233	Macro building has been disabled.
B234	Searching Indexes Press [Esc] to cancel the search.
B234	Searching Cross References Press [Esc] to cancel the search.
B235	Waiting for index %1% to be available
B236	Error in compiling "%1%"
B237	No [F2] Help for %1% type commands is available.
B238	Collector windows do not have dictionaries.
B239	Updating prompt %1%
B240	Updating the %1% field
B241	%1% is invalid.
B242	Enter the table name to move to.
B243	Selecting referenced programs
B244	%1% is not a valid table type. Press [F2] for table type options.
B245	The %1% key is not active %2% Press [Ctrl-F9] for a list of the currently active keys.
B246	The clipboard has been cleared.
B247	Pasting is only allowed while Roaming.
B248	Reading dictionary
B249	The dictionary is not bound to %1%. Use the Prompt Window to verify the prompt.
B250	Table Information for %1%: Volume = %2% OS Path = %3% File Type = %4% File Number = %5%
B251	The %1% table belongs to the %2% volume. You may only change indexing in tables under the same volume.
B252	Do you want to save?
B253	Shifting
B254	No block of text has been defined.
B255	The menu options key is disabled.
B256	An invalid attribute was passed to ATTR.TO.ESC. Attribute = "%1%" (hex).
B257	Cannot access color definitions correctly.
B258	The escape sequence "%1%" (hex) is invalid in ESC.TO.ATTR.
B259	The %1% table belongs to the %2% application. You may only change indexing in tables in the same application.

B260	%1% is not a valid volume name or an existing subdirectory.
B261	Table name = %1% OS name = %8% Volume = %2% Application = %3% File Type = %4% %5%
B262	%1% is indexed and cannot be renamed.
B263	%1% in the %2% table is not a valid dictionary type for indexing. Only the dictionary types "F" and "S" may be indexed.
B264	%1% already exists in the %3% application on the %2% volume.
B265	The clipboard is empty.
B266	%1% is not a Linear Hash table. You must convert your table before attempting to use it with PAINT.
B267	The maximum length of the Quickdex index (65,530 characters) has been reached no more records will be added to the Quickdex in
B268	The "BY" clause is invalid. You cannot sort by %1%.
B269	The disk the drive is NOT a valid LAN Pack disk. Please insert a valid LAN Pack disk.
B269A	Fatal Bump error. Improper Bump information.
B209A	
	There is no disk in drive %1%. Insert a disk and then try agian.
B273	To install a LAN Pack, you must log in as the "LANPACK" user.
B274	This installation currently supports %1% user(s). Would you like to enable more users?
B275	Insert a NEW Lanpack into Drive. Choose drive (A or B) or Cancel
B276	If you change the location of your application without moving the DOS files, you will NOT be able to open the application.
B279	Cannot find the %1% driver in the SYSNETWORKS table.
B280	The REVBOOT file is too large.
B282	The original REVBOOT file has been renamed REVBOOT.OLD. The new network driver will be available the next time you log onto Adva
B284	Logging off.
B285	No rows found.
B286	%1% is not a valid index name.
B287	Warning! The index update process must not be interrupted or indexes will be corrupted. Do you still want to update ALL i
B288	There are invalid character(s) in the table name %1%. Use only alphanumeric characters and the special characters underscore "_"
B289	The dictionary of %1% is not available.
B291	The key list has exceeded the maximum allowed length. The list will be truncated.
B292	The list accumulated in %1% has been truncated to the 64K bytes limit. Please use the R/LIST command to retrieve correct
B293	The Btree index for the indexed column %1% in the table %2% has not been created. Please initialize the index for this column an
B294	The list returned from BTREE.EXTRACT has been truncated to the 64K limit. To retrieve more rows from the %1% table use the SELEC
B295	The list %1% cannot be found in the LISTS table.
B296	Do you want to cancel this process?
B297	The correct form for the TRANSACTION command is: TRANSACTION operator (option) where: operator = COMMIT, ROLLBACK, S
300	Description
B300	These table(s) are not found in this volume:
B301	Table(s) not available:
B303	No candidate tables found.
B304	Domain and validation controls have been added to %1% tables.
B305	Control features have been removed from %1% tables.
B306	Locating tables
B307	No tables were affected. The "S" option is not active if no volume is specified.

### The "%1 %" table does not have control features active. Press [Esc] to cancel the process or press any other key to continue. ### The "%4" violate already has Control features active. Press [Esc] to cancel the process or press any other key to continue. ### The "%4" violate and cancel the process or press any other key to continue. ### The "%4" violate is not a data table, and cannot have control features added. Press [Esc] to cancel the process or press any other key to continue. ### The "%1%" table is not available. It must be attached before Control features can be added. Press [Esc] to cancel the process or press any other key to continue. #### The "%1%" table is not on the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue. #### The "%1%" table is not on the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue. #### The "%1%" table is not on the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue. #### The "%1%" table is not on the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue. #### The "%1%" table is not on the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue. #### The "%1%" table is not on the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue. #### The "%1%" table is not on the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue. #### The "%1%" table is not on the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue. #### The "%1%" table is not on the "%2%" table. #### The "%1%" table is not on the "%2%" table. #### The "%1%" table is not on the "%2%" table. #### The "%1%" table is not on the "%2%" table. #### The "%1%" table is not on the "%1%" table is missing from the %2% table. #### The table: %1%" has been found. "%1%" has been created as the default INI-file. #### The Initializing the index control information #### The	B308	The "%1%" volume is not available.
### The "%2%" volume does not exist. ### The "%2%" volume does not exist. ### The "%1%" is not a data table, and cannot have control features added. Press [Esc] to cancel the process or press any other key to come the process or the "%1%" table does not exist on the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue. ###################################	B311	The "%1%" table does not have control features active. Press [Esc] to cancel the process or press any other key to continue.
### 18/14 ** %1%* is not a data table, and cannot have control features added. Press [Esc] to cancel the process or press any other key to c ### 18/15* table is not available. It must be attached before Cortrol features can be added. Press [Esc] to cancel the process or ### 18/15* table does not exist on the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue. ### 18/15* table is not on the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue. ### 18/15* table is not on the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue. ### 18/15* table is not on the "%2%" table. ### 18/15* table is not on the "%2%" table. ### 18/15* table is not on the "%2%" table. ### 18/15* table is not on the "%2%" table. ### 18/15* table is not on the "%2%" table. ### 18/15* table is not on the "%2%" table. ### 18/15* table is not on the "%2%" table. ### 18/15* table is not on the "%2%" table. ### 18/15* table is not on the "%2%" table. ### 18/15* table is not on the "%2%" table. ### 18/15* table is not on the "%2%" table. ### 18/15* table is not on the "%2%" table. ### 18/15* table is not on the "%2%" table. ### 18/15* table is not on the "%2%" table. ### 18/15* table is not on the interest and table is not on the interest and i	B312	The "%1%" table already has Control features active. Press [Esc] to cancel the process or press any other key to continue.
B315 The "%1%" table is not available. It must be attached before Control features can be added. Press [Esc] to cancel the process or B316 The "%1%" table does not exist on the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue. B317 An error has occurred while writing to the volume directory for the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue. B318 The "%1%" table is not on the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue. B319 Unable to save "%1%" in the "%2%" table. B320 Subroutine: %15% Panch value must be numeric! B321 Subroutine: %15% Panch value must be numeric! B322 The table: %1% is excluded from all EasyWriter and OBE queries. Therefore, you may not set up additional[dictionary level control on the table: %1% is excluded from all EasyWriter and OBE queries. Therefore, you may not set up additional[dictionary level control on the table: %1% has no dictionary attached or created, Therefore, you may not set up additional[dictionary level control on the table: %1% has no dictionary attached or created, Therefore, you may not set up additional[dictionary level control on the table: %1% has no dictionary attached or created, Therefore, you may not set up additional[dictionary level control on the table: %1% has no dictionary attached or created, Therefore, you may not set up additional[dictionary level control on the table: %1% has no dictionary attached or created, Therefore, you may not set up additional[dictionary level control on the table: %1% has no dictionary attached or created, Therefore, you may not set up additional[dictionary level control on the table: %1% has not probable attached for effective attached control in order attached for effective attached control in order attached probable. B322 Detail configuration record "%4% is missing from the %2% table. B333 Probable or path "%1%" to he "%5%" to he "%5%" table. B340 Inhibiting the index control information B440 No In	B313	The "%2%" volume does not exist.
The "%1%" table does not exist on the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue. B317 An error has occurred while writing to the volume directory for the "%2%" volume. Press [Esc] to cancel the process or press any The "%1%" table is not on the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue. B319 Unable to save "%1%" in the "%2%" table. B320 Unable to save "%1%" in the "%2%" table. Subroutine: %1% Branch value of %2% exceeds highest ONGOSUB branch. B321 Subroutine: %1% Value of %2% exceeds highest ONGOSUB branch. B322 The table: %1% is excluded from all EasyWriter and QBE queries. Therefore, you may not set up additional/dictionary level control on the table: %1% has no dictionary attached or created Therefore, you may not set up additional/dictionary level control on the table: %1% has no dictionary attached or created Therefore, you may not set up additional/dictionary level control on the table: %1% has no dictionary attached or created Therefore, you may not set up additional/dictionary level control on the table: %1% has no dictionary attached or created Therefore, you may not set up additional/dictionary level control on the table: %1% has no dictionary attached or created Therefore, you may not set up additional/dictionary level control on the table: %1% has no invalid Advanced Revelation No No No No No No No	B314	"%1%" is not a data table, and cannot have control features added. Press [Esc] to cancel the process or press any other key to c
An error has occurred while writing to the volume directory for the "%2%" volume. Press [Esc] to cancel the process or press any The "%1%" table is not on the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue. Unable to save "%1%" in the "%2%" table. Subroutine: %1% Branch value must be numeric! Subroutine: %1% Value of %2% exceeds highest ONGOSUB branch. The table: %1% is excluded from all EasyWriter and QBE queries. Therefore, you may not set up additional[dictionary level control in kills in the table: %1%' is broken. Transactions cannot be properly flushed. To correct this problem, please rebuild a has a bictionary tables cannot be further qualified for EasyWriter queries. Ba22 Dictionary tables cannot be further qualified for EasyWriter queries. Error writing to DOS file "%1%" Default configuration record "%1%" is missing from the %2% table. Error pening or reading from. INII file "%1%" "The file or path "%1%" does not contain. INI file. The file or path "%1%" does not contain. INI file. 333 The file or path "%1%" does not contain. INI file. 334 No INI-file has been found. "%1%" has been created as the default INI-file. 335 Finishing processing selections. Please wait. 400 Description 400 Description 400 Description 401 Records can not be updated because the table "%1%" is not available or attached for reference to store index transactions. P 500 Description 500 Description The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "% Transaction Control is OFF.	B315	The "%1%" table is not available. It must be attached before Control features can be added. Press [Esc] to cancel the process or
The "%1%" table is not on the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue. B319 Unable to save "%1%" in the "%2%" table. B320 Subroutine: %1% Branch value must be numeric! B321 Subroutine: %1% Branch value must be numeric! B322 The table: %1% is excluded from all EasyWriter and QBE queries. Therefore, you may not set up additional dictionary level control B322 The table: %1% is excluded from all EasyWriter and QBE queries. Therefore, you may not set up additional dictionary level control B323 Link list in the table: %1% has no dictionary attached or created. Therefore, you may not set up additional dictionary level control on the ta B324 Dictionary tables cannot be further qualified for EasyWriter queries. B326 Error writing to DOS file "%1%" B327 Default configuration record "%1%" is missing from the %2% table. B328 Error opening or reading from .INI file "%15%" B329 %1% is an invalid Advanced Revelation .INI file. B330 The file or path "%1%" does not contain .INI files. B331 Other .INI files only accessable from the SYSPROG account. B332 No INI-file has been found. "%1%" has been created as the default INI-file. B333 Initiating the index control information B400 Description B400 Initiatizing the index control information B401 Error compiling %1%. Use the dictionary window to correct the formula. B402 Error compiling %1%. Use the dictionary window to correct the formula. B403 Error while copying row "%1%" to the "%2%" table. B404 Building the "%1%" index for the "%2%" table. B405 Description B400 Initiatizing the index control information B401 Fine the copying row "%1%" to the "%2%" table. B402 Error compiling %1% use the dictionary window to correct the formula. B403 Error while copying row "%1%" to the "%2%" table. B404 Building the "%16%" table has been fropped. B500 The "%1%" table has been foropped. B501 The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "%	B316	The "%1%" table does not exist on the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue.
Unable to save "%1%" in the "%2%" table.	B317	An error has occurred while writing to the volume directory for the "%2%" volume. Press [Esc] to cancel the process or press any
Subroutine: %1% Branch value must be numeric! Subroutine: %1% Value of %2% exceeds highest ONGOSUB branch. The table: %1% is excluded from all EasyWriter and QBE queries. Therefore, you may not set up additional dictionary level contro Link list in the table: %1% is broken. Transactions cannot be properly flushed. To correct this problem, please rebuild a Link list in the table: %1% has no dictionary attached or created. Therefore, you may not set up additional dictionary level control on the ta Dictionary tables cannot be further qualified for EasyWriter queries. Error writing to DOS file: "%1%" B326 Error writing to DOS file: "%1%" B327 Default configuration record: "%1%" is missing from the %2% table. Error opening or reading from. INI file: "%1%" B328 Error opening or reading from. INI file: "%1%" B329 N1% is an invalid Advanced Revelation. INI files. B330 The file or path: "%1%" does not contain. INI files. B331 Other. INI files only accessable from the SYSPROG account. B332 No INI-file has been found. "%1%" has been created as the default INI-file. B333 Filishing processing selections. Please walt. 400 Description B400 Initializing the index control information B401 Null I/O Error B402 Error compiling %1%. Use the dictionary window to correct the formula. Error while copying row "%1%" to the "%2%" table. B404 Building the "%1%" index for the "%2%" table. B405 Error while copying row "%1%" to the "%2%" table. B406 Paccription B407 The workstation is currently accessing table "%2%" and has row "%1%" locked. The index update you have requested will pr B418 Records can not be updated because the table "%1%" is not available or attached for reference to store index transactions. P 500 Description The walt-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table: "%2%" Row: "% Transaction Control is OFF.	B318	The "%1%" table is not on the "%2%" volume. Press [Esc] to cancel the process or press any other key to continue.
Subroutine: %1% Value of %2% exceeds highest ONGOSUB branch. B322 The table: %1% is excluded from all EasyWriter and OBE queries. Therefore, you may not set up additional dictionary level control B323 Link list in the table '%1%' is broken. Transactions cannot be properly flushed. To correct this problem, please rebuild a B324 The table: %1% has no dictionary attached or created. Therefore, you may not set up additional dictionary level control on the ta B325 Dictionary tables cannot be further qualified for EasyWriter queries. B326 Error writing to DOS file "%1%" B327 Default configuration record "%1%" is missing from the %2% table. B328 Error opening or reading from .INI file "%1%" B329 %1% is an invalid Advanced Revelation .INI file. B330 The file or path "%1%" does not contain .INI files. B331 Other .INI files only accessable from the SYSPROG account. B332 No INI-file has been found. "%1%" has been created as the default INI-file. B333 Finishing processing selections. Please walt. 400 Description B400 Initializing the index control information B401 Null I/O Error B402 Error compiling %1%. Use the dictionary window to correct the formula. B404 Building the "%1%" index for the "%2%" table. B405 Error while copying row "%1%" to the "%2%" table. B406 Another workstation is currently accessing table "%2%" and has row "%1%" locked. The index update you have requested will pr B441 Records can not be updated because the table "%1%" is not available or attached for reference to store index transactions. P B500 Description B500 The "%1%" table has been dropped. B501 The walt-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "% B502 Transaction Control is OFF.	B319	Unable to save "%1%" in the "%2%" table.
The table: %1% is excluded from all EasyWriter and QBE[queries. Therefore, you may not set up additional]dictionary level contro B323 Link list in the table "%1%" is broken. Transactions cannot be properly flushed. To correct this problem, please rebuild a B324 The table: %1% has no dictionary attached or created. Therefore, you may not set up additional]dictionary level control on the ta B325 Dictionary tables cannot be further qualified for EasyWriter queries. B326 Error writing to DOS file "%1%" B327 Default configuration record "%1%" is missing from the %2% table. B328 Error opening or reading from .INI file "%1%" B329 %1% is an invalid Advanced Revelation .INI file. B330 The file or path "%1%" does not contain .INI files. B331 Other .INI files only accessable from the SYSPROG account. B332 No INI-file has been found. "%1%" has been created as the default INI-file. B333 Finishing processing selections. Please wait. 400 Description B400 Initializing the index control information B401 Null I/O Error B402 Error ompiling %1%. Use the dictionary window to correct the formula. B403 Error while copying row "%1%" to the "%2%" table B404 Building the "%1%" index for the "%2%" table B405 Percription B406 Another workstation is currently accessing table "%2%" and has row "%1%" locked. The index update you have requested will pr Records can not be updated because the table "%1%" is not available or attached for reference to store index transactions. P 500 Description The will-fo-lock process has been dropped. The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "% Transaction Control is OFF.	B320	Subroutine: %1% Branch value must be numeric!
Link list in the table "%1%" is broken. Transactions cannot be properly flushed. To correct this problem, please rebuild a 324 The table: %1% has no dictionary attached or created. Therefore, you may not set up additional dictionary level control on the ta 325 Dictionary tables cannot be further qualified for EasyWriter queries. 326 Error writing to DOS file "%1%" 327 Default configuration record "%1%" is missing from the %2% table. 328 Error opening or reading from .INI file "%1%" 329 %1% is an invalid Advanced Revelation .INI file. 330 The file or path "%1%" does not contain .INI files. 331 Other .INI files only accessable from the SYSPROG account. 332 No INI-file has been found. "%1%" has been created as the default INI-file. 333 Finishing processing selections. Please wait. 400 Description 400 Initializing the index control information B401 INI I/O Error B402 Error compiling %1%. Use the dictionary window to correct the formula. B403 Error while copying row "%1%" to the "%2%" table. B404 Building the "%1%" index for the "%2%" table. B405 Another workstation is currently accessing table "%2%" and has row "%1%" locked. The index update you have requested will pr 440 Bescription 540 Description 550 Description The "%1%" table has been dropped. The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "% Transaction Control is OFF.	B321	Subroutine: %1% Value of %2% exceeds highest ONGOSUB branch.
The table: %1% has no dictionary attached or created. Therefore, you may not set up additional dictionary level control on the ta B325 Dictionary tables cannot be further qualified for EasyWriter queries. B326 Error writing to DOS file "%1%" B327 Default configuration record "%1%" is missing from the %2% table. B328 Error opening or reading from .INI file "%1%" B329 %1% is an invalid Advanced Revelation .INI file. B330 The file or path "%1%" does not contain .INI files. B331 Other .INI files only accessable from the SYSPROG account. No INI-file has been found. "%1%" has been created as the default INI-file. B332 No INI-file has been found. "%1%" has been created as the default INI-file. B333 Finishing processing selections. Please wait. 400 Description B400 Initializing the index control information B401 Null I/O Error B402 Error compiling %1%. Use the dictionary window to correct the formula. B403 Error while copying row "%1%" to the "%2%" table. B404 Another workstation is currently accessing table "%2%" and has row "%1%" locked. The index update you have requested will pr B405 Records can not be updated because the table "%1%" is not available or attached for reference to store index transactions. P 500 Description The "%1%" table has been dropped. The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "% Transaction Control is OFF.	B322	The table: %1% is excluded from all EasyWriter and QBE queries. Therefore, you may not set up additional dictionary level contro
B325 Dictionary tables cannot be further qualified for EasyWriter queries. B326 Error writing to DOS file "%1%" B327 Default configuration record "%1%" is missing from the %2% table. B328 Error opening or reading from .INI file "%1%" B329 %1% is an invalid Advanced Revelation .INI file. B330 The file or path "%1%" does not contain .INI files. B331 Other .INI files only accessable from the SYSPROG account. No INI-file has been found. "%1%" has been created as the default INI-file. B332 Finishing processing selections. Please wait. 400 Description B400 Initializing the index control information B401 Null I/O Error B402 Error compiling %1%. Use the dictionary window to correct the formula. B403 Error while copying row "%1%" to the "%2%" table B404 Building the "%1%" index for the "%2%" table B404 Another workstation is currently accessing table "%2%" and has row "%1%" locked. The index update you have requested will pr B401 Records can not be updated because the table "%1%" is not available or attached for reference to store index transactions. P Description Description The "%1%" table has been dropped. The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "% Transaction Control is OFF.	B323	Link list in the table "%1%" is broken. Transactions cannot be properly flushed. To correct this problem, please rebuild a
B326 Error writing to DOS file "%1%" B327 Default configuration record "%1%" is missing from the %2% table. B328 Error opening or reading from .INI file "%1%" B329 %1% is an invalid Advanced Revelation .INI file. B330 The file or path "%1%" does not contain .INI files. B331 Other .INI files only accessable from the SYSPROG account. No INI-file has been found. "%1%" has been created as the default INI-file. B332 Finishing processing selections. Please wait. 400 Description B400 Initializing the index control information B401 Null I/O Error B402 Error compiling %1%. Use the dictionary window to correct the formula. B403 Error while copying row "%1%" to the "%2%" table B404 Building the "%1%" index for the "%2%" table B404 Another workstation is currently accessing table "%2%" and has row "%1%" locked. The index update you have requested will pr B441 Records can not be updated because the table "%1%" is not available or attached for reference to store index transactions. P 500 Description B500 The "%1%" table has been dropped. Transaction Control is OFF.	B324	The table: %1% has no dictionary attached or created. Therefore, you may not set up additional dictionary level control on the ta
B327 Default configuration record "%1%" is missing from the %2% table. B328 Error opening or reading from .INI file "%1%" B329 %1% is an invalid Advanced Revelation .INI file. B330 The file or path "%1%" does not contain .INI files. B331 Other .INI files only accessable from the SYSPROG account. B332 No INI-file has been found. "%1%" has been created as the default INI-file. B333 Finishing processing selections. Please wait. 400 Description B400 Initializing the index control information B401 Null I/O Error B402 Error compiling %1%. Use the dictionary window to correct the formula. B403 Error while copying row "%1%" to the "%2%" table. B404 Building the "%1%" index for the "%2%" table B405 Another workstation is currently accessing table "%2%" and has row "%1%" locked. The index update you have requested will pr B410 Records can not be updated because the table "%1%" is not available or attached for reference to store index transactions. P 500 Description B500 The "%1%" table has been dropped. B501 The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "% Transaction Control is OFF.	B325	Dictionary tables cannot be further qualified for EasyWriter queries.
Error opening or reading from .INI file "%1%" B329 %1% is an invalid Advanced Revelation .INI file. B330 The file or path "%1%" does not contain .INI files. B331 Other .INI files only accessable from the SYSPROG account. B332 No INI-file has been found. "%1%" has been created as the default INI-file. B333 Finishing processing selections. Please wait. 400 Description B400 Initializing the index control information B401 Null I/O Error B402 Error compiling %1%. Use the dictionary window to correct the formula. B403 Error while copying row "%1%" to the "%2%" table. B404 Building the "%1%" index for the "%2%" table B405 Another workstation is currently accessing table "%2%" and has row "%1%" locked. The index update you have requested will pr B411 Records can not be updated because the table "%1%" is not available or attached for reference to store index transactions. P 500 Description B500 The "%1%" table has been dropped. B501 The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "% Transaction Control is OFF.	B326	Error writing to DOS file "%1%"
B329 %1% is an invalid Advanced Revelation .INI file. B330 The file or path "%1%" does not contain .INI files. B331 Other .INI files only accessable from the SYSPROG account. B332 No INI-file has been found. "%1%" has been created as the default INI-file. B333 Finishing processing selections. Please wait. 400 Description B400 Initializing the index control information B401 Null I/O Error B402 Error compiling %1%. Use the dictionary window to correct the formula. B403 Error while copying row "%1%" to the "%2%" table. B404 Building the "%1%" index for the "%2%" table. B405 Another workstation is currently accessing table "%2%" and has row "%1%" locked. The index update you have requested will pr B441 Records can not be updated because the table "%1%" is not available or attached for reference to store index transactions. P 500 Description B500 The "%1%" table has been dropped. B501 The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "% B502 Transaction Control is OFF.	B327	Default configuration record "%1%" is missing from the %2% table.
B330 The file or path "%1%" does not contain .INI files. B331 Other .INI files only accessable from the SYSPROG account. B332 No INI-file has been found. "%1%" has been created as the default INI-file. B333 Finishing processing selections. Please wait. 400 Description B400 Initializing the index control information B401 Null I/O Error B402 Error compiling %1%. Use the dictionary window to correct the formula. B403 Error while copying row "%1%" to the "%2%" table. B404 Building the "%1%" index for the "%2%" table B405 Another workstation is currently accessing table "%2%" and has row "%1%" locked. The index update you have requested will pr B441 Records can not be updated because the table "%1%" is not available or attached for reference to store index transactions. P 500 Description B500 The "%1%" table has been dropped. B501 The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "% B502 Transaction Control is OFF.	B328	Error opening or reading from .INI file "%1%"
B331 Other .INI files only accessable from the SYSPROG account. B332 No INI-file has been found. "%1%" has been created as the default INI-file. B333 Finishing processing selections. Please wait. 400 Description B400 Initializing the index control information B401 Null I/O Error B402 Error compiling %1%. Use the dictionary window to correct the formula. B403 Error while copying row "%1%" to the "%2%" table. B404 Building the "%1%" index for the "%2%" table B440 Another workstation is currently accessing table "%2%" and has row "%1%" locked. The index update you have requested will pr B441 Records can not be updated because the table "%1%" is not available or attached for reference to store index transactions. P 500 Description B500 The "%1%" table has been dropped. B501 The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "% B502 Transaction Control is OFF.	B329	%1% is an invalid Advanced Revelation .INI file.
B332 No INI-file has been found. "%1%" has been created as the default INI-file. B333 Finishing processing selections. Please wait. 400 Description B400 Initializing the index control information B401 Null I/O Error B402 Error compiling %1%. Use the dictionary window to correct the formula. B403 Error while copying row "%1%" to the "%2%" table. B404 Building the "%1%" index for the "%2%" table B405 Another workstation is currently accessing table "%2%" and has row "%1%" locked. The index update you have requested will pr B441 Records can not be updated because the table "%1%" is not available or attached for reference to store index transactions. P 500 Description B500 The "%1%" table has been dropped. B501 The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "% B502 Transaction Control is OFF.	B330	The file or path "%1%" does not contain .INI files.
Finishing processing selections. Please wait. 400 Description	B331	Other .INI files only accessable from the SYSPROG account.
## August 1 ## Aug	B332	No INI-file has been found. "%1%" has been created as the default INI-file.
B400 Initializing the index control information B401 Null I/O Error B402 Error compiling %1%. Use the dictionary window to correct the formula. B403 Error while copying row "%1%" to the "%2%" table. B404 Building the "%1%" index for the "%2%" table B405 Another workstation is currently accessing table "%2%" and has row "%1%" locked. The index update you have requested will prove the process of the	B333	Finishing processing selections. Please wait.
B401 Null I/O Error B402 Error compiling %1%. Use the dictionary window to correct the formula. B403 Error while copying row "%1%" to the "%2%" table. B404 Building the "%1%" index for the "%2%" table B440 Another workstation is currently accessing table "%2%" and has row "%1%" locked. The index update you have requested will pr B441 Records can not be updated because the table "%1%" is not available or attached for reference to store index transactions. P 500 Description B500 The "%1%" table has been dropped. B501 The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "% B502 Transaction Control is OFF.	400	Description
Error compiling %1%. Use the dictionary window to correct the formula. B403 Error while copying row "%1%" to the "%2%" table. B404 Building the "%1%" index for the "%2%" table B440 Another workstation is currently accessing table "%2%" and has row "%1%" locked. The index update you have requested will pr B441 Records can not be updated because the table "%1%" is not available or attached for reference to store index transactions. P 500 Description B500 The "%1%" table has been dropped. B501 The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table: "%2%" Row: "% B502 Transaction Control is OFF.	B400	Initializing the index control information
B403 Error while copying row "%1%" to the "%2%" table. B404 Building the "%1%" index for the "%2%" table B440 Another workstation is currently accessing table "%2%" and has row "%1%" locked. The index update you have requested will pr B441 Records can not be updated because the table "%1%" is not available or attached for reference to store index transactions. P 500 Description B500 The "%1%" table has been dropped. B501 The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "% B502 Transaction Control is OFF.	B401	Null I/O Error
B404 Building the "%1%" index for the "%2%" table B440 Another workstation is currently accessing table "%2%" and has row "%1%" locked. The index update you have requested will pr B441 Records can not be updated because the table "%1%" is not available or attached for reference to store index transactions. P 500 Description B500 The "%1%" table has been dropped. B501 The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "% B502 Transaction Control is OFF.	B402	Error compiling %1%. Use the dictionary window to correct the formula.
B440 Another workstation is currently accessing table "%2%" and has row "%1%" locked. The index update you have requested will pr B441 Records can not be updated because the table "%1%" is not available or attached for reference to store index transactions. P 500 Description B500 The "%1%" table has been dropped. B501 The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "% B502 Transaction Control is OFF.	B403	Error while copying row "%1%" to the "%2%" table.
B441 Records can not be updated because the table "%1%" is not available or attached for reference to store index transactions. P 500 Description B500 The "%1%" table has been dropped. B501 The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table: "%2%" Row: "% B502 Transaction Control is OFF.	B404	Building the "%1%" index for the "%2%" table
500 Description B500 The "%1%" table has been dropped. B501 The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "% B502 Transaction Control is OFF.	B440	Another workstation is currently accessing table "%2%" and has row "%1%" locked. The index update you have requested will pr
B500 The "%1%" table has been dropped. B501 The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "% B502 Transaction Control is OFF.	B441	Records can not be updated because the table "%1%" is not available or attached for reference to store index transactions. P
B501 The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "% B502 Transaction Control is OFF.	500	Description
B502 Transaction Control is OFF.	B500	The "%1%" table has been dropped.
	B501	The wait-for-lock process has been interrupted. Lock information: Lock Type: "%1%" Table : "%2%" Row : "%
R503 You must log in as the user "SYSPROG" to perform this function	B502	Transaction Control is OFF.
Total mediated in death of or the total tentral in the full of the tentral	B503	You must log in as the user "SYSPROG" to perform this function.
B504 Do you want to remove the user "%1%" from the commit queue "%2%" ?	B504	Do you want to remove the user "%1%" from the commit queue "%2%" ?
B505 Do you want to remove the user "%1%" from ALL commit queues?	B505	Do you want to remove the user "%1%" from ALL commit queues?
B506 Do you want to clear the entire Commit Log?	B506	Do you want to clear the entire Commit Log?

B507	Warning! Invoking Auto-Transaction Start causes all changes to be held until they are explicitly committed. Unless committed, ch
B508	A pending transaction exists for this station. Do you want to Commit or Rollback before logoff?
B509	A pending transaction exists for this station. Do you want to Commit, Rollback, or Ignore the transaction?
B510	Invalid response. Entry must be "C", "R", or "I".
B511	Invalid response. The entry must be a "C" or "R".
B512	This function can only be used when Commit Protection is "ON". Commit protection causes commit queues to be maintained. A lock
B513	The "COMMITLOG" file has been locked. Transactions cannot be committed while this utility is being run.
B514	This volume does not contain any tables of the Revelation G type.
B515	Row "%1%" was found in the "VOC", but is not a valid volume name.
B516	"%1%" is mapped to drive "%2%".
B517	"%1%" is not a volume. This process assumes that it is a path name. Is this correct?
B518	The volume name that corresponds to the path "%1%" is "%2%" Is this correct?
B519	The target must a be valid volume. Building "%TEMP.VOL.CONVERT%" using the path "%1%".
B520	The volume directory on path "%1%" is not available.
B521	Another workstation is currently updating indexes on table "%2%" with control column "%1%" locked. The index update you have
B522	"%1%" is not a valid column name.
B523	Help level can only be set from Level 1 of TCL.
B524	All other users should reattach this table in order for indexing to remain up-to-date.
B525	Error %1% in VSPACE.
B526	The View window cannot be displayed. The operating system file required for the window is not available or cannot be created.
B527	Your DOS path for temporary files is invalid. Please check your environment setting.
B528	I/O error during join process.
B529	An error was encountered while joining columns. No changes will be saved.
B530	A Merge name is required.
B531	The printer configuration for "%1%" cannot be found in "%2%".
B532	The flag definition record "%1%" cannot be found.
B533	Cannot find "%1%".
B534	The "%C37%FIELDS%C37%" row in the the dictionary of "%1%" is not available.
B535	Reprocessing row "%1%" from the "%2%" table %3%
B536	Cannot find "%1%" in "%2%".
B537	Merging row "%1%" from the "%2%" table to the output table %3%
B538	The key list contains imbalanced single or double quote marks.
B539	No output table was specified in the template.
B540	Widow/Orphan override.
B541	MERGE.SUB was passed a dispatch value out of range %1%.
B542	Collecting column information
B543	%1% Enter a value.
B544	Do you want to delete "%1%"?
B545	The Merge sample is active only while editing the Merge script.
B546	Do you want to view the previous sample?
B547	The row "%1%" is not available in the "%2%" table to do a Merge sample.

B440 Selecting a random row. B550 Initializing B551 "M1%" error(s) detected. B552 The fact is protected. Press [F2] to edit the Script. B553 This fact is protected. Press [F2] to edit the Script. B554 Eiter the name of the operating system text file to import. B555 The table can be accessed successfully. B556 1% 1%" is not a legal operating system flemame. B557 Access to this file has been denied by the operating system. B558 1% 1%" is not a wailable or cannot be found. B569 1%" 1%" is not a wailable or cannot be found. B560 Convert high ASCII characters (higher than character 127)? B561 The fact file is too long. The file will be truncated to file to the Merge template. B562 The text file is too long. The file will be truncated to file to the Merge template. B563 The legal is too long. The file will be truncated to file to the Merge template. B564 The legal is too long. The file will be truncated to file to the Merge template. B565 The legal is too long. The file will be truncated to file to the Merge template. B566 The legal is too long. The file will be file too.	B548	Do you want to abandon the sample?
BBSD Initializing BSSD 1% 1% "error(s) detected. BSSD No errors have been detected. BSSD 1% in feel is protected. Press [F2] to edit the Script. BSSD This feel is protected. Press [F2] to edit the Script. BSSD 1% to table can be accessed successfully. BSSD 1% to tal algal operating system filename. BSSD 3% 1% is not a validable or cannot be found. BSSD 1% 1% is not available or cannot be found. BSSD 1% 1% is not available or cannot be found. BSSD 1% 1% is not available or cannot be found. BSSD 1% 1% is not available or cannot be found. BSSD 1% 1% is not available or cannot be found. BSSD 1% 1% is not available or cannot be found. BSSD 1% 1% is not available or cannot be found. BSSD 1% 1% is not available or cannot be found. BSSD 1% 1% is not available or cannot be found. BSSD 1% 1% is not a valid format code. BSSD 1% 1% is not a valid format code. BSSD 1% 1% is not a valid format code. BSSD 1% 1% 1% is invalid format code.		·
BS51 %1% warron's detected. BS52 No errors have been detected. BS53 This field is protected. Pross [F2] to edit the Script. BS54 Effect the name of the operating system test file to import. BS55 The table can be accessed successfully. BS56 %1% is not a legal operating system filename. BS57 Access to this file has been denied by the operating system. BS58 %1% is not a valiable or cannot be found. BS69 "W1% is not a valiable or cannot be found. BS60 The text file is too long. The file will be truncated to fit into the Merge template. BS61 The format flag template contains an invalid key flag (%1%-%2%). BS62 The text file is too long. The file will be truncated to fit into the Merge template. BS63 The format flag template contains an invalid key flag (%1%-%2%). BS64 The key flag '%1%'s in the options list is a valid flag. BS65 "M5 flag in a valid formation dode. Press [F2] for a list of valid formatis. BS66 The format dode %1% is invalid. BS67 The Merge script is empty. BS68 The Merge script is empty. BS69 The Merge script is empty.		S S S S S S S S S S S S S S S S S S S
B652 No errors have been detected. B653 This field is protected. Press [F2] to edit the Script. B654 Einer the name of the operating system text file to import. B656 "Stript" is not a legal operating system filename. B657 Access to this file has been denied by the operating system. B658 "Stript" is not a legal operating system filename. B659 "Stript" is not available or cannot be found. B650 "Stript" is not available or cannot be found. B651 The format flag template contains an invalid key flag (%1%-%2%). B662 The text file is too long. The file will be truncated to fit into the Merge template. B663 The key flag "%1%" in the options list is a valid flag. B664 The key flag "%1%" in the options list is a valid flag. B665 The Tomat code %1% is invalid. B666 The Format code %1% is invalid. B667 The Tomat code %1% is invalid. B668 The Merge script is empty. B669 The Merge script is empty. B660 The Merge script is empty. B671 Printer format specifications must be eniered as up to 3 decimal numbers separated by spaces. (example: 27 72 105) <td></td> <td>-</td>		-
Boss This field is protocotod. Press [F2] to edit the Script. BS54 Enter the name of the operating system text file to import. BS55 The table can be accessed successfully. BS56 "64%" is not a legal operating system filename. BS58 "45%" is not a legal operating system filename. BS58 "54%" is not available or cannot be found. BS59 "54%" is not available or cannot be found. BS60 Convert high ASCII characters (higher than character 127)? BS61 The format flag template contains an invalid key flag (%1%-%2%). BS62 The text lie is too long. The file will be truncated to fli into the Merge template. BS63 Way long lines? BS64 The key flag "%1%" in the options list is a valid flag. BS65 "51%" is not a valid format code. Press [F2] for a list of valid formats. BS66 The format code %1% is invalid. BS67 The Maria Code %1% is invalid. BS68 "16%" format specifications must be entered as up to 3 decimal numbers separated by spaces. (example: 27 72 105) BS77 The Merge floator has not been specified. BS78 The filter "%1%" has been saved. BS79 The filter "		17
BS56 Enter the name of the operating system text file to import. BS56 The table can be accessed successfully. BS57 Access to this file has been denied by the operating system. BS57 Access to this file has been denied by the operating system. BS69 "%1%" is not available or cannot be found. BS69 "M19%" is not available or cannot be found. BS60 Convert high ASCII characters (righer than character 127)? BS61 The text file is too long. The file will be truncated to fit into the Merge template. BS62 The text file is too long. The file will be truncated to fit into the Merge template. BS63 "Sh1 sin at a valid format code. Press [F2] for a list of valid formats. BS64 The format code \$15% is invalid. BS65 The format code \$15% is invalid. BS66 The format code \$15% is invalid. BS67 The M19%" table does not exist. Do you want to create it? BS68 The Merge footer has not been specified. BS79 The Merge footer has not been specified. BS71 The file row that specifications must be entered as up to 3 decimal numbers separated by spaces. (example: 27 72 105) BS72 The file reforms a pecifications must be ente		
B6556 The table can be accessed successfully. B556 %1%' is not a legal operating system filename. B557 Access to this file has been denied by the operating system. B558 %1%' does not exist. B559 %1%' does not exist. B550 %1%' does not exist. B550 76.1%' does not exist. B550 76.1%' does not exist. B561 The format flag template contains an invalid key flag (%1%-%2%). B562 The text file is too long. The file will be truncated to fit into the Merge template. B563 Wrap long lines? B564 The key flag %1%' in the options list is a valid flag. B565 71 he key flag %1%' in the options list is a valid flag. B566 72 he format code %1%' is invalid. B567 73 he key flag %1%' in the options list is a valid flag. B568 74 he format code \$4.1% is invalid. B569 75 he format code \$4.1% is invalid. B560 76 he format code \$4.1% is invalid. B561 76 he format specifications must be enspecified. B570 76 he Merge feoter has not been specified. B571 86 he keepi		
B556 %1%'s is not a legal operating system filename. B557 Access to this file has been denied by the operating system. B558 %1%' does not exist. B559 %1%' is not available or cannot be found. B560 Convert high ASCII characters (higher than character 127)? B561 The format flag template contains an invalid key flag (%1%-%2%). B562 The text flie is too long. The flie will be truncated to fit into the Merge template. B563 Wrap long lines? B564 The key flag "%1%' in the options list is a valid flag. B565 "%1%' is not a valid format code. Press [F2] for a list of valid formats. B566 The format code %1% is invalid. B567 The format specifications must be operating system. B568 The Merge script is empty. B569 The Merge floater has not been specified. B570 The Merge floater has not been specified. B571 Printer format specifications must be entered as up to 3 decimal numbers separated by spaces. (example: 27 72 105) B572 Selecting rows B573 The **REPORTS** table is not available. Press [Enter] to return to the Query window. B574 The 'REPORTS**		
B557 Access to this file has been deried by the operating system. B558 "%1%" does not exist. B559 "%1%" is not available or cannot be found. B560 Convert high ASCII characters (higher than character 127)? B561 The format flag template contains an invalid key flag (%1%-%2%). B562 The text file is too long. The file will be truncated to fit into the Merge template. B563 Wrap long lines? B564 The key flag "%1%" in the opions list is a valid flag. B565 "%1%" is not a valid format code. Press [F2] for a list of valid formats. B566 The format code %1% is invalid. B567 The Wife flag be does not exist. Do you want to create it? B568 The Merge script is empty. B569 The Merge footer has not been specified. B570 The Merge footer has not been specified. B571 Printer format specifications must be entered as up to 3 docimal numbers separated by spaces. (example: 27 72 105) B572 Selecting rows B573 Enter the name of the filter row. B574 The Filter? Stable is not available. Press [Enter] to return to the Query window. B575 The filter "%1%" has been s		
B555 "%1%" does not exist. B559 "%1%" is not available or cannot be found. B560 Convert high ASCII characters (higher than character 127)? B561 The format flag template contains an invalid key flag (%1%-%2%). B562 The text flie is too long. The flie will be truncated to fit into the Merge template. B563 Wrap long lines? B564 The key fliag "%1%" in the options list is a valid flag. B565 "1 ke format code %1% is invalid. B566 The format code %1% is invalid. B567 The "M1%" table does not exist. Do you want to create it? B568 The Merge script is empty. B569 The Merge foother has not been specified. B570 The Merge foother has not been specified. B571 Printer format specifications must be entered as up to 3 decimal numbers separated by spaces. (example: 27 72 105) B572 Selecting rows B573 Enter the name of the filter row. B574 The "REPORTS" table is not available. Press [Enterf) to return to the Query window. B575 The lifter "%1%" has been saved. B576 Do you want to save your custom changes in a Filter?		
B559 "%1%" is not available or cannot be found. B560 Convert high ASCII characters (higher than character 127)? B561 The format flag template contains an invalid key flag (%1%-%2%). B562 The text flie is too long. The flie will be truncated to fit into the Merge template. B563 Wrap long lines? B564 The key flag "%1%" in the options list is a valid flag. B565 The key flag "%1%" in the options list is a valid flag. B566 The format code %1% is invalid. B567 The "Mark" short a valid format code. Press [F2] for a list of valid formats. B568 The format specifications must be invalid. B569 The Merge script is empty. B560 The Merge footer has not been specified. B571 Printer format specifications must be entered as up to 3 decimal numbers separated by spaces. (example: 27 72 105) B572 Selecting rows B573 Enter the name of the filter row. B574 The "REPORTS" table is not available. Press [Enterf to return to the Query window. B575 The filter "%1%" has been saved. B576 Do you want to save your custom changes in a Filter? B577 The "%1%" prompt c		
Soo Convert high ASCII characters (higher than character 127)? B561 The format flag template contains an invalid key flag (%1%-%2%). B562 The text file is too long. The file will be truncated to fit into the Merge template. B563 Wrap long lines? B564 The key flag "%1%" in the options list is a valid flag. B565 "%1%" is not a valid format code. Press [F2] for a list of valid formats. B566 The format code %1% is invalid. B567 The "%1%" table does not exist. Do you want to create it? B568 The Merge header has not been specified. B569 The Merge header has not been specified. B560 Printer format specifications must be entered as up to 3 decimal numbers separated by spaces. (example: 27 72 105) B572 Selecting rows B573 Enter the name of the filter row. B574 The "REPORTS" table is not available. Press [Enter] to return to the Query window. B575 The filter "%1%" has been saved. B576 Oy ou want to save your custom changes in a Filter? B577 The "%1%" prompt contains unbalanced quotation marks. B578 Converting the R/DESIGN row "%1%". B579 **1%" This row already exists in "%2%". The row was not converted. B570 **1%" This row already exists in "%2%". The row was not converted. B571 **1%" Symbolic uses RDESIGN cOMMON. This is incompatible with window templates. B582 The symbolic defines COMMON variables. This may be incompatible with window templates. B583 The subroutine "%1%" defines common. This may be incompatible with window templates. B584 The subroutine "%1%" defines common. This may be incompatible with window templates. B585 The subroutine "%1%" defines common. This may be incompatible with window templates. B586 The program "%1%" defines common. This may be incompatible with window templates.		
B561 The format flag template contains an invalid key flag (%1%-%2%). B562 The text flie is too long. The file will be truncated to fit into the Merge template. B563 Wrap long lines? B564 The key flag "%1%" in the options list is a valid flag. B565 %1%" is not a valid format code. Press [F2] for a list of valid formats. B566 The format code %1% is invalid. B567 The "%1%" table does not exist. Do you want to create it? B568 The Merge script is empty. B569 The Merge script is empty. B560 The Merge script is empty. B561 The Merge script is empty. B562 The Merge script is empty. B563 The Merge script is empty. B564 The Merge script is empty. B565 The Merge script is empty. B566 The merge footer has not been specified. B571 Printer format specifications must be entered as up to 3 decimal numbers separated by spaces. (example: 27 72 105) B572 S		
The text file is too long. The file will be truncated to fit into the Merge template. Seed Wrap long lines?		,
B563 Wrap long lines? B564 The key flag "%1%" in the options list is a valid flag. B565 "%1%" is not a valid format code. Press [F2] for a list of valid formats. B566 The format code %1% is invalid. B567 The "%1%" table does not exist. Do you want to create it? B568 The Merge script is empty. B570 The Merge header has not been specified. B571 Printer format specifications must be entered as up to 3 decimal numbers separated by spaces. (example: 27 72 105) B572 Selecting rows B573 Enter the name of the filter row. B574 The "REPORTS" table is not available. Press [Enter] to return to the Query window. B575 The filter "%1%" has been saved. B576 Do you want to save your custom changes in a Filter? B577 The "%1%" prompt contains unbalanced quotation marks. B578 Converting the R/DESIGN row "%1%". B589 "%1%" This record was converted and saved in "%2%". B580 "%1%" This record was converted and saved in "%2%". B581 1%6 Possible incompatibility. This prompt has a symbolic reference in %2%. The code has been placed in %3%. B582 The symbolic us		, , ,
8564 The key flag "%1%" in the options list is a valid flag. 8565 "%1%" is not a valid format code. Press [F2] for a list of valid formats. 8566 The format code %1% is invalid. 8567 The "%1%" table does not exist. Do you want to create it? 8568 The Merge header has not been specified. 8570 The Merge footer has not been specified. 8571 Printer format specifications must be entered as up to 3 decimal numbers separated by spaces. (example: 27 72 105) 8572 Selecting rows 8573 Enter the name of the filter row. 8574 The "REPORTS" table is not available. Press [Enter] to return to the Query window. 8575 The filter "%1%" has been saved. 8576 Do you want to save your custom changes in a Filter? 8577 The "%1%" prompt contains unbalanced quotation marks. 8578 Converting the R/DESIGN row "%1%". 8580 "%1%" This record was converted and saved in "%2%". 8581 %1% Possible incompatibility. This prompt has a symbolic reference in %2%. The code has been placed in %3%. 8582 The symbolic uses RDESIGN.COMMON. This is incompatible with Window templates. 8583 The symbolic defines COMMON variables. This may be		
8656 "%1%" is not a valid format code. Press [F2] for a list of valid formats. 8666 The format code %1% is invalid. 8567 The "%1%" table does not exist. Do you want to create it? 8568 The Merge script is empty. 8569 The Merge header has not been specified. 8570 The Merge footer has not been specified. 8571 Printer format specifications must be entered as up to 3 decimal numbers separated by spaces. (example: 27 72 105) 8572 Selecting rows 8573 Enter the name of the filter row. 8574 The "REPORTS" table is not available. Press [Enter] to return to the Query window. 8575 The filter "%1%" has been saved. 8576 Do you want to save your custom changes in a Filter? 8577 The "%1%" has been saved. 8578 Converting the R/DESIGN row "%1%". 8579 "%1%" This row already exists in "%2%". The row was not converted. 8580 "%1%" This record was converted and saved in "%2%". 8581 31% Possible incompatibility. This prompt has a symbolic reference in %2%. The code has been placed in %3%. 8582 The symbolic uses RDESIGN.COMMON. This is incompatible with Window templates. 8583 The symbolic defines COMNON variables. This may		
B566 The format code %1% is invalid. B567 The "%1%" table does not exist. Do you want to create it? B568 The Merge script is empty. B569 The Merge header has not been specified. B570 The Merge footer has not been specified. B571 Printer format specifications must be entered as up to 3 decimal numbers separated by spaces. (example: 27 72 105) B572 Selecting rows B573 Enter the name of the filter row. B574 The "REPORTS" table is not available. Press [Enter] to return to the Query window. B575 The filter "%1%" has been saved. B576 Do you want to save your custom changes in a Filter? B577 The "%11%" has been saved. B578 Converting the R/DESIGN row "%1%". B579 "%11%" bir srow already exists in "%2%". The row was not converted. B580 "%11%" This row already exists in "%2%". The row was not converted. B581 %16 Possible incompatibility. This prompt has a symbolic reference in %2%. The code has been placed in %3%. B582 The symbolic uses RDESIGN.COMMON. This is incompatible with window templates. B583 The symbolic defines COMMON variables. This may be incompatible with Window templates.		
The "%1%" table does not exist. Do you want to create it? The Merge script is empty. The Merge script is empty. The Merge header has not been specified. B570 The Merge footer has not been specified. B571 Printer format specifications must be entered as up to 3 decimal numbers separated by spaces. (example: 27 72 105) B572 Selecting rows B573 Enter the name of the filter row. B574 The "REPORTS" table is not available. Press [Enter] to return to the Query window. B575 The filter "%1%" has been saved. B576 Do you want to save your custom changes in a Filter? B577 The "%1%" prompt contains unbalanced quotation marks. B578 Converting the R/DESIGN row "%1%". B579 "%1%" This row already exists in "%2%". The row was not converted. B580 "%1%" This record was converted and saved in "%2%". B581 %1% Possible incompatibility. This prompt has a symbolic reference in %2%. The code has been placed in %3%. B582 The symbolic defines COMMON. This is incompatible with window templates. B583 The subroutine "%1%" uses RDESIGN.COMMON. This may be incompatible with Window templates. B584 The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with Window templates. B585 The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with Window templates. B586 The subroutine "%1%" defines common. This may be incompatible with Window templates. B587 The program "%1%" cannot not be found. The process is unable to check for incompatibility.		
The Merge script is empty. The Merge header has not been specified. The Merge footer has not been specified. Printer format specifications must be entered as up to 3 decimal numbers separated by spaces. (example: 27 72 105) Selecting rows Enter the name of the filter row. Enter the name of the filter row. The "REPORTS" table is not available. Press [Enter] to return to the Query window. The "REPORTS" table is not available. Press [Enter] to return to the Query window. The "REPORTS" table is not available. Press [Enter] to return to the Query window. The "With" has been saved. Do you want to save your custom changes in a Filter? The "%1%" prompt contains unbalanced quotation marks. Converting the R/DESIGN row "%1%". Sero "%1%" This row already exists in "%2%". The row was not converted. Selecting "%1%" This row already exists in "%2%". The row was not converted. Selecting "%1%" This record was converted and saved in "%2%". The symbolic uses RDESIGN.COMMON. This is incompatible with window templates. The symbolic defines COMMON variables. This may be incompatible with Window templates. The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. The subroutine "%1%" defines common. This may be incompatible with Window templates. The program "%1%" defines common. This may be incompatible with Window templates.		
The Merge header has not been specified. The Merge footer has not been specified. Printer format specifications must be entered as up to 3 decimal numbers separated by spaces. (example: 27 72 105) Selecting rows B573 Enter the name of the filter row. B574 The "REPORTS" table is not available. Press [Enter] to return to the Query window. B575 The filter "%1%" has been saved. B576 Do you want to save your custom changes in a Filter? The "%1%" prompt contains unbalanced quotation marks. Converting the R/DESIGN row "%1%". B579 "%1%" This row already exists in "%2%". The row was not converted. B580 "%1%" This record was converted and saved in "%2%". B581 %1% Possible incompatibility. This prompt has a symbolic reference in %2%. The code has been placed in %3%. B582 The symbolic uses RDESIGN.COMMON. This is incompatible with window templates. B583 The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. The subroutine "%1%" defines common. This may be incompatible with Window templates. The program "%1%" cannot not be found. The process is unable to check for incompatibility.	B567	The "%1%" table does not exist. Do you want to create it?
The Merge footer has not been specified. Printer format specifications must be entered as up to 3 decimal numbers separated by spaces. (example: 27 72 105) Selecting rows Enter the name of the filter row. Enter the name of the filter row. Enter the name of the filter row. Enter the filter "%1%" has been saved. B575 The filter "%1%" has been saved. E576 Do you want to save your custom changes in a Filter? E577 The "%1%" prompt contains unbalanced quotation marks. E578 Converting the R/DESIGN row "%1%". E579 "%1%" This row already exists in "%2%". The row was not converted. E580 "%1%" This record was converted and saved in "%2%". E581 %1% Possible incompatibility. This prompt has a symbolic reference in %2%. The code has been placed in %3%. E582 The symbolic uses RDESIGN.COMMON. This is incompatible with window templates. E583 The symbolic defines COMMON variables. This may be incompatible with Window templates. E584 "%1%" This prompt has a subroutine reference in Description. The code has been placed in the Options prompt. This may be incompatible with window templates. E585 The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. E586 The subroutine "%1%" defines common. This may be incompatible with Window templates. E587 The program "%1%" cannot not be found. The process is unable to check for incompatibility.	B568	The Merge script is empty.
Printer format specifications must be entered as up to 3 decimal numbers separated by spaces. (example: 27 72 105) Selecting rows Enter the name of the filter row. Enter the name of the filter row. Enter the name of the filter row. The "REPORTS" table is not available. Press [Enter] to return to the Query window. Enter the name of the filter row. The filter row1%" has been saved. Do you want to save your custom changes in a Filter? The "%1%" prompt contains unbalanced quotation marks. Converting the R/DESIGN row "%1%". Enter the name of the filter row. The row laready exists in "%2%". The row was not converted. **W1%" This row already exists in "%2%". The row was not converted. **W1%" This record was converted and saved in "%2%". **W1%" Possible incompatibility. This prompt has a symbolic reference in %2%. The code has been placed in %3%. The symbolic uses RDESIGN.COMMON. This is incompatible with window templates. **The symbolic defines COMMON variables. This may be incompatible with Window templates. **The symbolic defines COMMON variables. This may be incompatible with window templates. The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with Window templates. The subroutine "%1%" defines common. This may be incompatible with Window templates. The program "%1%" cannot not be found. The process is unable to check for incompatibility.	B569	The Merge header has not been specified.
B572 Selecting rows B573 Enter the name of the filter row. B574 The "REPORTS" table is not available. Press [Enter] to return to the Query window. B575 The filter "%1%" has been saved. B576 Do you want to save your custom changes in a Filter? B577 The "%1%" prompt contains unbalanced quotation marks. B578 Converting the R/DESIGN row "%1%". B579 "%1%" This row already exists in "%2%". The row was not converted. B580 "%1%" This record was converted and saved in "%2%". B581 %1% Possible incompatibility. This prompt has a symbolic reference in %2%. The code has been placed in %3%. B582 The symbolic uses RDESIGN.COMMON. This is incompatible with window templates. B583 The symbolic defines COMMON variables. This may be incompatible with Window templates. B584 "%1%" This prompt has a subroutine reference in Description. The code has been placed in the Options prompt. This may be incompat B585 The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. B586 The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. B587 The program "%1%" cannot not be found. The process is unable to check for incompatibility.	B570	The Merge footer has not been specified.
Enter the name of the filter row. Enter the Query window. Enter the "%1%" This prompt caution changes in a Filter? Enter the Name of the filter row. Enter the name of the filter row. Enter the name of the filter row. Enter the Query window. Enter the Query window. Enter the Query window. Enter the Name of the filter row. Enter the Query window. Enter the Query window.	B571	Printer format specifications must be entered as up to 3 decimal numbers separated by spaces. (example: 27 72 105)
The "REPORTS" table is not available. Press [Enter] to return to the Query window. B575 The filter "%1%" has been saved. B576 Do you want to save your custom changes in a Filter? B577 The "%1%" prompt contains unbalanced quotation marks. B578 Converting the R/DESIGN row "%1%". B579 "%1%" This row already exists in "%2%". The row was not converted. B580 "%1%" This record was converted and saved in "%2%". B581 %1% Possible incompatibility. This prompt has a symbolic reference in %2%. The code has been placed in %3%. B582 The symbolic uses RDESIGN.COMMON. This is incompatible with window templates. B583 The symbolic defines COMMON variables. This may be incompatible with Window templates. B584 "%1%" This prompt has a subroutine reference in Description. The code has been placed in the Options prompt. This may be incompatible with window templates. B585 The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. B586 The subroutine "%1%" defines common. This may be incompatible with Window templates. B587 The program "%1%" cannot not be found. The process is unable to check for incompatibility.	B572	Selecting rows
B575 The filter "%1%" has been saved. B576 Do you want to save your custom changes in a Filter? B577 The "%1%" prompt contains unbalanced quotation marks. B578 Converting the R/DESIGN row "%1%". B579 "%1%" This row already exists in "%2%". The row was not converted. B580 "%1%" This record was converted and saved in "%2%". B581 %1% Possible incompatibility. This prompt has a symbolic reference in %2%. The code has been placed in %3%. B582 The symbolic uses RDESIGN.COMMON. This is incompatible with window templates. B583 The symbolic defines COMMON variables. This may be incompatible with Window templates. B584 "%1%" This prompt has a subroutine reference in Description. The code has been placed in the Options prompt. This may be incompat B585 The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. B586 The subroutine "%1%" defines common. This may be incompatible with Window templates. B587 The program "%1%" cannot not be found. The process is unable to check for incompatibility.	B573	Enter the name of the filter row.
Do you want to save your custom changes in a Filter? The "%1%" prompt contains unbalanced quotation marks. Converting the R/DESIGN row "%1%". B578 Converting the R/DESIGN row "%1%". B579 "%1%" This row already exists in "%2%". The row was not converted. B580 "%1%" This record was converted and saved in "%2%". B581 %1% Possible incompatibility. This prompt has a symbolic reference in %2%. The code has been placed in %3%. B582 The symbolic uses RDESIGN.COMMON. This is incompatible with window templates. B583 The symbolic defines COMMON variables. This may be incompatible with Window templates. B584 "%1%" This prompt has a subroutine reference in Description. The code has been placed in the Options prompt. This may be incompatible with window templates. B586 The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. B587 The program "%1%" defines common. This may be incompatible with Window templates. B588 The program "%1%" cannot not be found. The process is unable to check for incompatibility.	B574	The "REPORTS" table is not available. Press [Enter] to return to the Query window.
B577 The "%1%" prompt contains unbalanced quotation marks. B578 Converting the R/DESIGN row "%1%". B579 "%1%" This row already exists in "%2%". The row was not converted. B580 "%1%" This record was converted and saved in "%2%". B581 %1% Possible incompatibility. This prompt has a symbolic reference in %2%. The code has been placed in %3%. B582 The symbolic uses RDESIGN.COMMON. This is incompatible with window templates. B583 The symbolic defines COMMON variables. This may be incompatible with Window templates. B584 "%1%" This prompt has a subroutine reference in Description. The code has been placed in the Options prompt. This may be incompatible with window templates. B585 The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. B586 The subroutine "%1%" defines common. This may be incompatible with Window templates. B587 The program "%1%" cannot not be found. The process is unable to check for incompatibility.	B575	The filter "%1%" has been saved.
Converting the R/DESIGN row "%1%". B579 "%1%" This row already exists in "%2%". The row was not converted. B580 "%1%" This record was converted and saved in "%2%". B581 %1% Possible incompatibility. This prompt has a symbolic reference in %2%. The code has been placed in %3%. B582 The symbolic uses RDESIGN.COMMON. This is incompatible with window templates. B583 The symbolic defines COMMON variables. This may be incompatible with Window templates. B584 "%1%" This prompt has a subroutine reference in Description. The code has been placed in the Options prompt. This may be incompatible with window templates. B585 The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. B586 The subroutine "%1%" defines common. This may be incompatible with Window templates. B587 The program "%1%" cannot not be found. The process is unable to check for incompatibility.	B576	Do you want to save your custom changes in a Filter?
"%1%" This row already exists in "%2%". The row was not converted. B580 "%1%" This record was converted and saved in "%2%". B581 %1% Possible incompatibility. This prompt has a symbolic reference in %2%. The code has been placed in %3%. B582 The symbolic uses RDESIGN.COMMON. This is incompatible with window templates. B583 The symbolic defines COMMON variables. This may be incompatible with Window templates. B584 "%1%" This prompt has a subroutine reference in Description. The code has been placed in the Options prompt. This may be incompatible with window templates. B585 The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. B586 The subroutine "%1%" defines common. This may be incompatible with Window templates. B587 The program "%1%" cannot not be found. The process is unable to check for incompatibility.	B577	The "%1%" prompt contains unbalanced quotation marks.
"%1%" This record was converted and saved in "%2%". 8581 %1% Possible incompatibility. This prompt has a symbolic reference in %2%. The code has been placed in %3%. 8582 The symbolic uses RDESIGN.COMMON. This is incompatible with window templates. 8583 The symbolic defines COMMON variables. This may be incompatible with Window templates. 8584 "%1%" This prompt has a subroutine reference in Description. The code has been placed in the Options prompt. This may be incompated in the Subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. 8586 The subroutine "%1%" defines common. This may be incompatible with Window templates. 8587 The program "%1%" cannot not be found. The process is unable to check for incompatibility.	B578	Converting the R/DESIGN row "%1%".
8581 %1% Possible incompatibility. This prompt has a symbolic reference in %2%. The code has been placed in %3%. B582 The symbolic uses RDESIGN.COMMON. This is incompatible with window templates. B583 The symbolic defines COMMON variables. This may be incompatible with Window templates. B584 "%1%" This prompt has a subroutine reference in Description. The code has been placed in the Options prompt. This may be incompated by the subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. B586 The subroutine "%1%" defines common. This may be incompatible with Window templates. B587 The program "%1%" cannot not be found. The process is unable to check for incompatibility.	B579	"%1%" This row already exists in "%2%". The row was not converted.
The symbolic uses RDESIGN.COMMON. This is incompatible with window templates. The symbolic defines COMMON variables. This may be incompatible with Window templates. B584 "%1%" This prompt has a subroutine reference in Description. The code has been placed in the Options prompt. This may be incompated in the Subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. B586 The subroutine "%1%" defines common. This may be incompatible with Window templates. B587 The program "%1%" cannot not be found. The process is unable to check for incompatibility.	B580	"%1%" This record was converted and saved in "%2%".
B583 The symbolic defines COMMON variables. This may be incompatible with Window templates. B584 "%1%" This prompt has a subroutine reference in Description. The code has been placed in the Options prompt. This may be incompated by the subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. B586 The subroutine "%1%" defines common. This may be incompatible with Window templates. B587 The program "%1%" cannot not be found. The process is unable to check for incompatibility.	B581	%1% Possible incompatibility. This prompt has a symbolic reference in %2%. The code has been placed in %3%.
B584 "%1%" This prompt has a subroutine reference in Description. The code has been placed in the Options prompt. This may be incompat B585 The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. B586 The subroutine "%1%" defines common. This may be incompatible with Window templates. B587 The program "%1%" cannot not be found. The process is unable to check for incompatibility.	B582	The symbolic uses RDESIGN.COMMON. This is incompatible with window templates.
B585 The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates. B586 The subroutine "%1%" defines common. This may be incompatible with Window templates. B587 The program "%1%" cannot not be found. The process is unable to check for incompatibility.	B583	The symbolic defines COMMON variables. This may be incompatible with Window templates.
B586 The subroutine "%1%" defines common. This may be incompatible with Window templates. B587 The program "%1%" cannot not be found. The process is unable to check for incompatibility.	B584	"%1%" This prompt has a subroutine reference in Description. The code has been placed in the Options prompt. This may be incompat
B587 The program "%1%" cannot not be found. The process is unable to check for incompatibility.	B585	The subroutine "%1%" uses RDESIGN.COMMON. This is incompatible with window templates.
	B586	The subroutine "%1%" defines common. This may be incompatible with Window templates.
B588 The program table is not available. Unable to check for incompatibility.	B587	The program "%1%" cannot not be found. The process is unable to check for incompatibility.
	B588	The program table is not available. Unable to check for incompatibility.

B589	"%1%" This row is not an "ENTRY" type. It cannot be converted by this program.
B590	The "VOC" entry was not a catalog pointer. The process is unable to check for incompatibility.
B591	"%1%" The "VOC" entry is not available. Unable to check for incompatibility.
B592	"%1%" This row cannot be found in the "%2%" table.
B593	"%1%" The cross reference login was not converted.
B594	"%1%" The table accessed by this template is not available. The prompts for symbolic columns cannot be verified.
B595	The change prompt has a value in "PARAMETER 1". Linked screen conversion is not completed yet. PARAMETER 1 = "%1%"
B596	Prompt number %1% (R/DESIGN window number %2%) is more than one column wide. It has been truncated to one column.
B597	%1% This prompt has a non-numeric value in Parameter 1. No action has been taken.
B598	"%1%" This prompt has a value in the "DESCRIPTION" field that cannot be converted.
B599	Mode %1% is an invalid reduction mode.
600	Description
B600	The first (meta) pass for "WITH" has failed.
B601	WITH meta compilation failed.
B602	This option/process is not supported.
B603	The cursor value %1% is out of range.
B604	The cursor "%1%" is invalid.
B605	The template has not been saved. There is no Table or Collector information.
B606	Position information must be numeric.
B607	The mode %1% is invalid for LIST.ACTIVE.
B608	Error during Readnext operation while seeking.
B609	Waiting for an index lock If you cancel this process, the table will not be deleted.
B610	BFS name cannot be read for DICT %1%
B611	The [Alt-V] key is functional only when using R/LIST commands.
B615	The active select list is unresolved. Do you want to continue?
B616	The active select list is unresolved with reduction pending. Do you want to continue?
B617	The active select list is unresolved. The "%1%" table contains %2% rows. Do you want to continue?
B618	The active SELECT list is unresolved. The "%1%" table contains %2% rows. Do you want to continue?
B619	Seek to the top of table has failed. Do you want to continue the Savelist from the current position?
B620	%B%No Cross Reference or Btree index has been established for the "%1%" table.
B621	"%1%" is not a valid key in the "%2%" table.
B622	Preparing "%1%" listing
B623	No rows have been selected.
B624	The record "@CRT" in the dictionary of "%1%" contains an invalid column. "%2%" does not exist.
B625	VSPACE status error %1%.
B626	"%1%" is not available for the View window. Cancelling the process.
B627	STATUS() error = "%1%" "%2%"
B628	Cannot move to the top of the table. Do you want to continue the report from the current position?
B629	Enter page number to display.
B630	Do you want to print this report?

B631	The "REPORTS" table is not available.
B632	The row "%1%" cannot be found in the "REPORTS" table.
B633	Moving "%1%" menus is not allowed.
B634	This menu is too large to display. The process has been cancelled.
B635	The [Alt-P] key is functional only when using R/LIST commands.
B636	SELECT.INDEX failed during REDUCE operation.
700	Description
B700	The ASCII %1% character is reserved for system use and cannot be used in prompts or labels.
B701	The index search type specified for "%1%" is invalid.
B702	The index "%1%" must be rebuilt.
B703	Warning! The index "%1%" must be rebuilt. (The primary data and index control information has not been corrupted.)
B704	Restricted access.
B705	The correct form for the "BUILD.TABLE" command is: BUILD.TABLE template.file.name template.name
B706	Working on template "%1%" in the "%2%" table
B707	The "%1%" template is encrypted. Unable to build a table row.
B708	No help is available for "%1%".
B709	Row is locked. Retrying
B710	Do you want to change the message?
B711	Waiting for "%1%" transaction lock in "%2%" Warning! If you cancel this process, you will have to rebuild this index.
B712	The "%1%" option is not available in FILE.CVT.
B713	Working on "%1%"
B714	The popup has reached the maximum size allowed for your memory configuration.
B772	
800	Description
B800	Waiting to lock the "%1%" table Press [Esc] to cancel the process.
B801	%1% row(s) have been selected. %2% logical error(s) were detected.
B802	%1% row(s) have been selected. %2% error(s) were detected.
B805	This statement contains unbalanced quotes.
B810	"%1%" is an invalid active language set. The active language set must be in the list of loaded sets or must be "DEFAULT".
B811	"%1%" is an invalid language set. Press [F2] for a list of valid choices.
B812	"%1%" already exists in the load list.
B813	"%1%" is an invalid output conversion pattern for the TIMEDATE() function. The pattern must be a valid "DT" (Date-Time) conversion
B815	Case sensitive character sort order in record "%1%" is invalid. It must be 256 bytes in length exactly.
B816	Case insensitive character sort order in record "%1%" is invalid. It must be 256 bytes in length exactly.
B817	The language set control row "%1%" is not in the load list and is not "DEFAULT".
B818	The language set control row "%1%" was not found in the SYSENV table.
B820	No fonts or styles defined for this printer.
B821	No printers have been defined in the environment.
B822	Cannot initialize printer %1%
B823	%1% is not a valid color.

B824	%1% rows converted.
B825	The spooling file %1% already exists. Do you wish to overwrite the file?
B826	Operation cancelled.
B827	WARNING! If you cancel the print job, the spool file will be erased, and you must rerun any reports that you want printed. Do yo
B828	A print process is open for this station and a close process has been defined for this printer. Do you wish to execute the Close
B829	You have selected the postcript printer driver and any printed output will be spooled to a temporary file. To send any pendin
B830	The value you have entered does not meet validation criteria. You can enter strings of characters to send to the printer in any
B834	There is no ROSMEDIA.MAP file on "%1%".
B835	"%1%" is in the "VOC" but it is not a volume pointer.