

<Control>

The root element for the SRP Ribbon Control.

Child Elements

The following elements can be children of this one.

Element	Description	Appears	Version Introduced	Pro Version Introduced
<Backstage>	The list of buttons and pages in the popup that appears when the user clicks the system button.	Zero or once	1.0	3.2
<Commands>	Predefined list of commands that can be used by buttons anywhere on the ribbon.	Zero or once	1.0	3.2
<QuickAccessControls>	A list of controls that appear in the quick access toolbar.	Zero or once	1.0	3.2
<TabBarControls>	The list of controls that appear on the right end of the tab bar area.	Zero or once	1.0	3.2
<Tabs>	The list of all available tabs.	Zero or once	1.0	3.2

Attributes

This element supports the following attributes:

Attribute	Description	Version Introduced	Pro Version Introduced
AllowMinimize	Determines if the ribbon can be minimized by the user.	1.0	3.2
AnimationEnabled	Determines if the hot states of elements are change instantly or smoothly over a short period of time.	1.0	3.2
FrameThemeEnabled	Determines if the ribbon is merged into the parent window.	1.0	3.2
Minimized	Determines if the ribbon is minimized.	1.0	3.2
Name	The name of the control as it was defined in the Form Designer. (Required)	1.0	3.2
SystemButtonCaption	The system button's caption which is only visible when the system button is a tab.	1.0	3.2
SystemButtonIsTab	Determines if the ribbon application button is the first tab on the tab bar instead of a round button in the corner.	1.0	3.2
Theme	The theme used to render the ribbon.	1.0	3.2
Window	The name of this control's parent window.	1.0	3.2

AllowMinimize

The AllowMinimize attribute is a boolean flag indicating whether or not the user can minimize the ribbon via the ribbon's built-in context menu. See [AllowMinimize](#)

AnimationEnabled

The AnimationEnabled attribute is a boolean flag indicating whether or not the ribbon employs subtle animation effects as the mouse moves over it. See [AnimationEnabled](#)

FrameThemeEnabled

The FrameThemeEnabled attribute is a boolean flag indicating whether or not the ribbon merges into the parent form rather than acting like any other child control. See [FrameThemeEnabled](#)

Minimized

The Minimized attribute is a boolean flag indicating whether or not the ribbon is minimized by default. See [Minimized](#)

Name

The Name attribute should contain the name of the control as it was defined in the Form Designer. If you change the name in the Form Designer, then you must change it here also.

SystemButtonCaption

The SystemButtonCaption attribute is the text that appears on the system tab, if it is enabled. See [SystemButtonCaption](#)

SystemButtonIsTab

The SystemButtonIsTab attribute is a boolean flag indicating whether or not the ribbon's system button appears as the first tab on the ribbon. See [SystemButtonIsTab](#)

Theme

The Theme attribute is the name of the default theme to use. See [Theme](#).

Window

The Window attribute should contain the name of the window that is the parent of this control. This is an optional field that a framework might find useful in identifying which OI form is intended to use the XML.

Remarks

The Control element is the root element. It does not matter where you got the XML snippet so long as there is a root element called Control. The control element has two attributes that help identify the control's fully qualified name as recognized by OpenInsight.

Example

```
<Control Name="OLE_RIBBON" Window="NDW_RIBBON_TEST" FrameThemeEnabled="true" Theme="Office 2013">

  <Commands>
    ...
  </Commands>

  <Tabs>
    ...
  </Tabs>

  <QuickAccessControls>
    ...
  </QuickAccessControls>

  <Backstage>
    ...
  </Backstage>

  <TabBarControls>
    ...
  </TabBarControls>

</Control>
```