

NOTES

Description

Programmer defined; usually occurs when user selects a menu item or uses an accelerator key combination to get additional information. The NOTES event does not refer to Lotus Notes.

Syntax

bforward = **NOTES** (*ctrlentID*, *ctrlclassID*)

Parameters

NOTES accepts arguments for the following parameters.

Parameter	Description
<i>ctrlentID</i>	Has the format <i>WindowName.ControlName</i> , where <i>WindowName</i> is the identifier of the window that contains the affected control, and <i>ControlName</i> is the identifier of the control. Notice that a period separates the two values.
<i>ctrlclassID</i>	The type of control that recognizes the event. Valid entries are:

Type	Description
CHECKBOX	Check box.
COMBOBOX	Combo box.
EDITBOX	Edit box.
EDITFIELD	Edit line.
EDITTABLE	Edit table.
HSCROLL	Horizontal scroll bar.
ICON	Icon.
LISTBOX	List box.
MENU	Menu.
PUSHBUTTON	Push-button.
RADIOBUTTON	Radio button.
VSCROLL	Vertical scroll bar.
WINDOW	Window.

Returns

True or false. If false, the program execution returns to the calling procedure. If true, the event processing goes to the next level.

See also

[AppNote subroutine](#), [HELP event](#), [OPTIONS event](#)

Remarks

Often, QuickHelp is tied to the NOTES event using a QuickEvent.