

ODDROWCOLOR

Applies to

Edit table.

Description

Set and retrieve the RGB color of odd numbered rows within an edit table.

Note: The *ROWSHADE* property must be set to *TRUE* prior to setting the *ODDROWCOLOR* property.

Usage

oddRowColor = **Get_Property** (*objectname*, "ODDROWCOLOR")

existingRowColor = **Set_Property** (*objectname*, "ODDROWCOLOR", *rgbValue*)

Remarks

Values passed in Set_Property():

Value	Description
<i>rgbValue</i>	RGB Color value.

Returns

Values returned by Get_Property and Set_Property

Value	Description
<i>oddRowColor</i>	The RGB color value.
<i>existingRowColor</i>	The RGB color value of the row, when Set_Property was run.

See Also

[ROWSHADE Property](#), [EVENROWCOLOR Property](#)

Example

```
/* Set the ODD rows in an edit table to have a blue background and set the even rows to have a yellow
background */

$Insert Colors
$Insert Logical

rowShade = Set_Property(CtrlEntID, 'ROWSHADE', true$)

oddRowColor = Set_Property(CtrlEntID, 'ODDROWCOLOR', blue$)

evenRowColor = Set_Property(CtrlEntID, 'EVENROWCOLOR', yellow$)
```