

RTFTEXT

Applies to

Edit box.

Description

Set and retrieve RTF text from an edit box which has the Rich Editor property set.

When using `Get_Property`, RTF will be returned regardless of whether the text was formatted using RTF code or using the `SetCharFormat` message.

Usage

rtftext = **Get_Property** (*objectname*, "RTFTEXT")

existingrtftext = **Set_Property** (*objectname*, "RTFTEXT", *text*)

Remarks

Values passed in `Set_Property()`:

Value	Description
text	RTF formatted text.

Returns

Values returned by `Get_Property` and `Set_Property`

Value	Description
rtftext	The RTF text within the edit box. The text returned is CRLF delimited.
existingrtftext	The existing RTF text, when <code>Set_Property</code> was run.

See Also

[SetCharFormat message](#)

Example

```
Declare function Get_Property, Set_Property

rtftext = '{\rtf1\ansi\ansicpg1252\deff0\deflang1033'
rtftext:= '{\fonttbl{\f0\fswiss\fcharset0 Arial;}}'
rtftext:= '{\*\generator Msftedit 5.41.15.1507;}'
rtftext:= '\viewkind4\uc1\pard\f0\fs20 '
rtftext:= 'This is line of text with a \b bold\b0'
rtftext:= ' \i italicized\i0 \b\i word\b0\i0 .'
rtftext:= '\par}'
x = Set_Property(@window:'.EDITBOX','RTFTEXT',rtftext)
```