

# CHOOSEDIR Service

Calls the common Windows File dialog box, modifying the dialog to display and return only directory information.

| Parameter   | Description                                                                                                                                                                                  |       |             |     |                      |     |                   |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------------|-----|----------------------|-----|-------------------|
| <object>    | Owner window                                                                                                                                                                                 |       |             |     |                      |     |                   |
| <value>     | @FM-delimited array: <table><tr><th>Value</th><th>Description</th></tr><tr><td>&lt;1&gt;</td><td>Title for the dialog</td></tr><tr><td>&lt;2&gt;</td><td>Initial directory</td></tr></table> | Value | Description | <1> | Title for the dialog | <2> | Initial directory |
| Value       | Description                                                                                                                                                                                  |       |             |     |                      |     |                   |
| <1>         | Title for the dialog                                                                                                                                                                         |       |             |     |                      |     |                   |
| <2>         | Initial directory                                                                                                                                                                            |       |             |     |                      |     |                   |
| Returnvalue | The directory path selected by the user or null if the operation was canceled.                                                                                                               |       |             |     |                      |     |                   |

## See Also

| Name                                     |
|------------------------------------------|
| <a href="#">BEEP Service</a>             |
| <a href="#">CHOOSECOLOR Service</a>      |
| <a href="#">CHOOSEFILE Service</a>       |
| <a href="#">CHOOSEFONT Service</a>       |
| <a href="#">COPYFILE Service</a>         |
| <a href="#">CREATE Service</a>           |
| <a href="#">CURSOR Service</a>           |
| <a href="#">DESTROY Service</a>          |
| <a href="#">FLUSH Service</a>            |
| <a href="#">GET_EVENT Service</a>        |
| <a href="#">GETLOGICALDRIVES Service</a> |
| <a href="#">MAKEDIR Service</a>          |
| <a href="#">OBJECTID Service</a>         |
| <a href="#">OBJECTLIST Service</a>       |
| <a href="#">PRINTSETUP Service</a>       |
| <a href="#">REMOVEDIR Service</a>        |
| <a href="#">RENAMEDIR Service</a>        |
| <a href="#">RENAMEFILE Service</a>       |
| <a href="#">RUNHELP Service</a>          |
| <a href="#">RUNWIN Service</a>           |
| <a href="#">TEXTRECT Service</a>         |
| <a href="#">WINCOUNT Service</a>         |

## Example

```
declare function Utility
value = "Select a directory" : @fm : "c:\temp"
dir = Utility( "CHOOSEDIR", @window, value)
```

