

Repository Function GETAPPID

Description

Method for getting the application ID (the first part of the key for the **SYSREPOS** entry corresponding to the entity)

Syntax

```
retval = Repository("GETAPPID", entID)
```

Parameters

The **GETAPPID** method has the following parameters.

Parameter	Description
Message	"GETAPPID"
entID	entID consists of four elements, which are '*' (asterisk) delimited: <ul style="list-style-type: none">• Application name• Type ID• Class ID• Entity name
	Methods are executed as follows: if class specific, execute at the class level; if type specific, execute at the type level; otherwise, execute the method.

Returns

The application name (the first part of the key in SYSREPOS corresponding to the entry)

Note: Always call the [Get_Status function](#) after calling Repository.

See also

[Repository\(\) function](#), [Get_Repos_Entities\(\)](#).

Example

```
/* Read the application name for the CENTERWINDOW stored procedure into the variable called result */
Declare Function Get_Repos_Entities, Repository, Get_Status
AppID = @APPID<1> /* current application
TypeID = "STPROC" /* OpenInsight stored procedures
ClassID = "" /* Not Applicable
Stored_Proc_Name = 'CENTERWINDOW'
entid = AppID : '*' : TypeID : '*' : ClassID : '*' : Stored_Proc_Name
result = Repository("GETAPPID", entid)
* result now contains the application ID of the CENTERWINDOW stored procedure
If Get_Status(ErrCode) then
    call msg(@window, 'Error Message returned: ' : ErrCode)
end
```