

# Repository Function GETDOCUMENT

## Description

Method for getting the document(s) associated with this entity.

## Syntax

```
retval = Repository("GETDOCUMENT" , entID)
```

## Parameters

The **GETDOCUMENT** method has the following parameters.

Parameter	Description
Message	"GETDOCUMENT"
entID	entID consists of four elements, which are '*' (asterisk) delimited: <ul style="list-style-type: none"><li>• Application name</li><li>• Type ID</li><li>• Class ID</li><li>• Entity name</li></ul>
	Methods are executed as follows: if class specific, execute at the class level; if type specific, execute at the type level; otherwise, execute the method.

## Returns

A field mark delimited array of document(s) associated with this entity. This can be accessed from [Entity...Properties...Document](#) in the Repository outline when the entity is highlighted.

**Note:** Always call the [Get\\_Status function](#) after calling [Repository](#).

## See also

[Repository\(\) function](#), [Get\\_Repos\\_Entities\(\)](#).

## Example

```
/* Get the document IDs of the CENTERWINDOW stored procedure into the variable called result */
Declare Function Get_Repos_Entities, Repository, Get_Status
AppID = @APPID<1>    ;* current application
TypeID = "STPROC"      ;* OpenInsight stored procedures
ClassID = ""            ;* Not Applicable
Stored_Proc_Name = 'CENTERWINDOW'
entid = AppID : '*' : TypeID : '*' : ClassID : '*' : Stored_Proc_Name
result = Repository("GETDOCUMENT", entid)
/* result now contains a field mark delimited list of documents associated with CENTERWINDOW */
If Get_Status(ErrCode) then
    call msg(@window, 'Error Message returned: ' : ErrCode)
end
```