

Repository Function GETPUBLISHABLE

Description

Method for getting the "publishable" flag (whether it will be deployed in the next application version) for an entity.

Syntax

```
retval = Repository("GETPUBLISHABLE", entID)
```

Parameters

The **GETPUBLISHABLE** method has the following parameters.

Parameter	Description
Message	"GETPUBLISHABLE"
entID	entID consists of four elements, which are '*' (asterisk) delimited: <ul style="list-style-type: none">• Application name• Type ID• Class ID• Entity name
	Methods are executed as follows: if class specific, execute at the class level; if type specific, execute at the type level; otherwise, execute the method.

Returns

A boolean flag (0 = entity is not publishable; 1 = entity is publishable)

Note: Always call the [Get_Status function](#) after calling Repository.

See also

[Repository\(\) function](#), [SETPUBLISHABLE Method](#), [Get_Repos_Entities\(\)](#).

Example

```
/* Get the publishable flag or the CENTERWINDOW stored procedure into the variable called result */
Declare Function Get_Repos_Entities, Repository, Get_Status
AppID = @APPID<1> /* current application
TypeID = "STPROC" /* OpenInsight stored procedures
ClassID = "" /* Not Applicable
Stored_Proc_Name = 'CENTERWINDOW'
entid = AppID : '*' : TypeID : '*' : ClassID : '*' : Stored_Proc_Name

result = Repository("GETPUBLISHABLE", entid)
/* result now contains the publishable flag of CENTERWINDOW in Field 1. */
If Get_Status(ErrCode) then
    call msg(@window, 'Error Message returned: ' : ErrCode)
end
```