

Repository Function SETSUPER

Description

Method for setting the list of "super-entities" (entities used by entID) in the repository. Set manually in the [Entity/Relate Used-By](#) menu item when the repository entity is highlighted.

Syntax

```
retval = Repository("SETSUPER" , entID, param1)
```

Parameters

The **SETSUPER** method has the following parameters.

Parameter	Description
<i>Message</i>	"SETSUPER"
<i>entID</i>	<i>entID</i> consists of four elements, which are '*' (asterisk) delimited:
	<ul style="list-style-type: none">• Application name• Type ID• Class ID• Entity name
	Methods are executed as follows: if class specific, execute at the class level; if type specific, execute at the type level; otherwise, execute the method.
<i>param1</i>	A field mark delimited list of entities "super" to entid.
<i>param2</i>	A boolean indicating whether to overwrite the existing list (true) or combine with the existing list (false)

Returns

Null, regardless of whether the function succeeded.

Note: Always call the [Get_Status function](#) after calling *Repository*.

See also

[Repository\(\)](#) function, [GETSUPER Method](#), [Get_Repos_Entities\(\)](#).

Example

```

/* Change the list of "super-entities" for the CENTERWINDOW stored procedure, overwriting the existing list. */
$insert logical
Declare Function Repository, Get_Status
AppID = @APPID<1>    /* current application
TypeID = "STPROC"    /* OpenInsight stored procedures
ClassID = ""         /* Not Applicable
Stored_Proc_Name = 'CENTERWINDOW'
Super_Entities = @APPID<1>:"*STPROCEXE*CENTERWINDOW" : @fm : @APPID<1>:"*OIWIN*CENTERWINDOW"

overwrite_flag = TRUE$
entid = AppID : '*' : TypeID : '*' : ClassID : '*' : Stored_Proc_Name

result = Repository("SETSUPER", entid, Super_Entities, overwrite_flag)

/* if successful, the list of super-entities is the stored procedure executable (STPROCEXE) and window (OIWIN)
called "CENTERWINDOW". */
If Get_Status(ErrCode) then
    call msg(@window, 'Error Message returned: ' : ErrCode)
end

```