

Set Printer LINE

Description

The LINE message is used to print a line at a specific location on the page using the current line style. The line style is set with the [LINESTYLE](#) message. The Repeat message is used to print the line on every page.

Parameters

| Parameter | Description of Fields | Comments | Default |
|------------------|-------------------------|---|---------|
| Parm1 - Location | <1> X1 | Starting X position | 0 |
| | <2> Y1 | Starting Y position | 0 |
| | <3> X2 | Ending X position | 0 |
| | <4> Y2 | Ending Y position | 0 |
| Parm2 - Repeat | <1> Repeat on all pages | 0=Current page only 1=Print on all pages | |

See also

[BMP](#), [RECT](#), [ELLIPSE Set_Printer Messages](#), [Using Graphics](#)

Example

```
/* The following example uses the LINE message to print a bold line across the top of every page. */
declare function Set_Printer
$insert OIPRINT_EQUATES
stat = Set_Printer("INIT") ; Start printing
stat = Set_Printer("HEADER", "Test Header")
stat = Set_Printer("LINESTYLE", PS_SOLID:@fm:5) ;* 5 point line
Print a line at the top of the page
stat = Set_Printer("LINE", 0:@fm:1:@fm:7.5:@fm:1, 1)
stat = Set_Printer("TERM") ;* End printing
```