

SRP_JsonX_State

Gets the state of the stack and all its documents.

Syntax

```
State = SRP_JsonX_State()
```

Returns

The SRP JsonX stack.

Remarks

SRP_JsonX_State gets the SRP JsonX stack in its current state as an @FM delimited array. Each field represents a document on the stack. The first field is the active document. Each document displays it's name, current element and the current element's type.

Examples

```
$insert SRPJSONX

SRP_JsonX_Begin('FirstDoc', '{}')
    SRP_JsonX_Begin('SecondDoc', '[]')
        SRP_JsonX_Begin('ThirdDoc', '{}')
            SRP_JsonX('employees', '[]')
                SRP_JsonX('{}')
                    SRP_JsonX('firstname', 'John')
                    SRP_JsonX('lastname', 'Doe')
                    SRP_JsonX('age', 21)
                SRP_JsonX('{}')
                SRP_JsonX('{}')
                    SRP_JsonX('firstname', 'Anna')
                    SRP_JsonX('lastname', 'Smith')
                    SRP_JsonX('age', 32)
                    State = SRP_JsonX_State()
                    debug
                SRP_JsonX('{}')
                SRP_JsonX('{"firstname":"Peter", "lastname":"Jones", "age":43}')
            SRP_JsonX(']')
            SRP_JsonX('count', 4)
            SRP_JsonX('active', 1, 'Bool')
            SRP_JsonX('alwaysnull')
            SRP_JsonX('alwaysstring', 4.321, 'String')
        Json = SRP_JsonX_End('Pretty')
    SRP_JsonX_End()
SRP_JsonX_End()
```