

# Environment Commands

Environment commands provide a means for a BASIC+ procedure to report on the environment within which it is being run, including time, date, and OpenInsight serial number.

Command	Description
<a href="#">Create_User routine</a>	Creates a new user or modifies information about an existing user in the current database.
<a href="#">Date()</a>	Returns the current date in internal format.
<a href="#">Delete_User routine</a>	Removes a user from the current database. Only the administrative user can delete users.
<a href="#">Drive()</a>	Returns the current operating system drive and path.
<a href="#">Flush statement</a>	Forces the system to write all changed buffers to disk.
<a href="#">GarbageCollect statement</a>	Frees unused string space.
<a href="#">Get_Env routine</a>	Returns an attribute or list of attributes from the database environment for the current database.
<a href="#">Get_Status()</a>	Returns error status information from a stored procedure. Use after calling any system stored procedure.
<a href="#">List_Users routine</a>	Returns information about users in a specified database.
<a href="#">Save_Env routine</a>	Saves the current environment settings.
<a href="#">Serial()</a>	Returns the current OpenInsight serial number.
<a href="#">Set_Env routine</a>	Defines the value of an environment attribute or list of attributes for the current database.
<a href="#">Set_Status()</a>	Sets or clears error information.
<a href="#">Status()</a>	Returns a number indicating the status or flag value of certain previously executed commands.
<a href="#">Time()</a>	Returns the current time in internal format.
<a href="#">TimeDate()</a>	Returns the current time and date in external format.