


## OIPI\_EXAMPLE2

The OIPI\_EXAMPLE2 prints a simple invoice. To run this example start OpenInsight, and then start the System Editor. Copy the example text below, and paste it into a new record in the System Editor. Then compile the program and run it. Here is an example of the print preview.



This is the code:

```
subroutine OIPI_Example2(dummy)
/*
Printer_Example2

This is an example program on how to use the OpenInsight Printer Interface.
This example creates a simple invoice using the Table Module.
*/
declare function Set_Printer, Get_Printer, RGB, msg
$insert OIPRINT_EQUIVATES
* Initialize the printing session with a name, dialog title, and margins
name = "Sample Invoice"
title = ""
title<1> = "Printing Sample Invoice..."
title<2> = "Example Print Preview"
margin = 1:@FM:1.75:@FM:1:@FM:1
* Gentlemen, start your engine.
x = Set_Printer("START32")
* Display report with Print Preview Window at the last size and position
x = Set_Printer("INIT", name, title, margin, "", 4)
if x < 0 then
  x = msg("", "INIT ERROR = ":"x)
end
* Set the text font and the Header/footer font
x = Set_Printer("FONTHEADFOOT", "Times New Roman":@FM:12)
font = "Arial":@FM:12:@FM:"L"
fontBold = "Arial":@FM:12:@FM:"L":@FM:1
x = Set_Printer("FONT", font)
if x < 0 then
  x = msg("", "FONTHEADFOOT Error")
end
* Set the header with the text "Sample Invoice" centered , and "Page #" aligned to the right
* margin on the first line. The text "for the OIPI 2.0" is centered on the second line.
```

```

x = Set_Printer("HEADER", @vm:"Sample Invoice":@vm:"Page 'P'":@FM:@vm:"for the OIPI 2.0":@FM)
if x < 0 then
  x = msg("", "HEADER Error")
end
* Print a bitmap at 1 inch from the top and 1 inch from the left side of the page.
* The left and top values are calculated from the margins. The width and height of the
* bitmap will be 0.5 by 0.5 inches, and the bitmap will print on every page.
x = Set_Printer("BMP", "PRINTER.BMP", 0:@FM:-0.75:@FM:0.5:@FM:0.5, 0, 1)
if x < 0 then
  x = msg("", "BMP Error")
end
* Set the text font to bold Arial to print the title of the Date/Invoice table. Then
* print the date and invoice number with no bold. The first column of the table is blank
* to place the date and invoice number in the correct location on the page. The date and
* invoice number are centered and there is no border around this table. These tables have
* no column headers.
x = Set_Printer("FONT", fontBold)
table1 = ",Date,Invoice No."
convert "," to @vm in table1
x = Set_Printer("ADDTABLE", ">5040":@VM:"^2160":@VM:"^2160":@FM, "", table1, "", "", "", TB_NONE)
x = Set_Printer("FONT", font)
table1 = ",01 Jan 1996,340082"
convert "," to @vm in table1
x = Set_Printer("ADDTABLE", ">5040":@VM:"^2160":@VM:"^2160":@FM, "", table1, "", "", "", TB_NONE)
* Print a blank line then print the Bill To/From table. These tables have no column
* headers. These tables have no borders and have left justified columns.
x = Set_Printer("TEXT")
x = Set_Printer("FONT", fontBold)
table2 = "Bill To:,Ship To:"
convert "," to @vm in table2
x = Set_Printer("ADDTABLE", "3600":@VM:"1440":@VM:"3600":@FM, "", table2, "", "", "", TB_NONE)
x = Set_Printer("FONT", font)
table2 = ""
table2<1> = "Test Company 123//Test Company (Billing Dept)"
table2<2> = "123 West Main Street//555 West Main Street, MS:123"
table2<3> = "Portland, OR 97005//Portland, OR 97005"
convert "/" to @vm in table2
x = Set_Printer("ADDTABLE", "3600":@VM:"1440":@VM:"3600":@FM, "", table2, "", "", "", TB_NONE)
* These tables have to column headers and have borders all sides of the tables. Every column
* is center justified.
x = Set_Printer("TEXT")
x = Set_Printer("FONT", fontBold)
table3 = "Terms,P.O. Number,Ship Date,Ship Via"
convert "," to @vm in table3
x = Set_Printer("ADDTABLE", "^2160":@VM:"^2160":@VM:"^2160":@FM, "", table3, "", "", "", TB_ALL)
x = Set_Printer("FONT", font)
table3 = "Net 30,9500123,03 Jan 1996,UPS Next Day Delivery"
convert "," to @vm in table3
x = Set_Printer("ADDTABLE", "^2160":@VM:"^2160":@VM:"^2160":@FM, "", table3, "", "", "", TB_ALL)
* The position is set to 0 inches from the left margin, and 3 inches from the top margin. This
* will guarantee the table will always start to print from the same location.
x = Set_Printer("POS", 0:@FM:3)
* Create the dummy data for the main table. This table has column headers, because the column
* headers need to be printed at the top of each page if the main invoice table requires more
* than one page. The rows will have borders.
tableHead = "Quantity,Description,Unit Price,Ext Price"
table = ""
table<1> = "1,OpenInsight Printer Interface 2.0 -- Special limited time introductory price,$345.00,$345.00"
table<2> = "2,Second line item here,$1.00,$2.00"
table<3> = "1,Third line item here (no charge for this bonus item),$0.00,$0.00"
for i = 4 to 30
  table<i> = "1,Test line item here":(i-3):"$0.00,$0.00"
next i
table<31> = ""
table<32> = ",Merchandise Total,,$347.00"
table<33> = ""
table<34> = ",Tax,,$12.00"
table<35> = ",Shipping,,$5.00"
table<36> = ",Handling,,$5.00"
table<37> = ""
table<38> = ",,Sub Total,$369.00"

```

```
table<39> = ""
table<40> = ",Total,$369.00"
convert "," to @vm in table
convert "," to @vm in tableHead
x = Set_Printer("ADDTABLE", ">1080":@VM:<4680":@VM:>1440":@VM:>1440":@FM, tableHead, table, RGB(192, 192, 192), "", "", TB_BOX_ROWS)
* Finish this printing session.
x = Set_Printer("TERM", 1)
return
```

## See Also

[OIPRINT\\_EQUATES](#)